ELSEVIER

Animal Feed Science and Technology 50 (1994) 183–228

ANIMAL FEED SCIENCE AND TECHNOLOGY

Author index

Animal Feed Science and Technology, volumes 26–50, 1989–1994

A

Abd El Moneim, A.M., see Aletor, V.A., 47 (1994) 125

Abdouli, H., Khorchani, T. and Nefzaoui, A., Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Abdouli, H., see Khorchani, T., 39 (1992) 303

Abdouli, H., see Ben Salem, H., 46 (1994) 143

Abdullah, N., see Ho, Y.W., 34 (1991) 311

Abe, A., see Kajikawa, H., 31 (1990) 91

Abe, A., see Kajikawa, H., 34 (1991) 203

Abe, H., see Kajikawa, H., 31 (1990) 91

Abe, I., see Goto, M., 36 (1992) 229

Abrahamsson, M., Graham, H., Dandanell Daveby, Y. and Åman, P., Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15

Abu-Serewa, S., see Karunajeewa, H., 26 (1989) 45

Acamovic, T., see D'Mello, J.P.F., 26 (1989) 1

Adamson, A.H., see Givens, D.I., 26 (1989) 323

Adamson, A.H., see Givens, D.I., 27 (1989) 157

Adamson, A.H., see Givens, D.I., 27 (1990) 173

Adamson, A.H., see Givens, D.I., 27 (1990) 185

Adamson, A.H., see Givens, D.I., 28 (1990) 103

Adamson, A.H., see Givens, D.I., 35 (1991) 83

Adamson, A.H., see Givens, D.I., 36 (1992) 215

Adamson, A.H., see Givens, D.I., 37 (1992) 281

Adamson, A.H., see Givens, D.I., 41 (1993) 297

Adamson, A.H., see Givens, D.I., 42 (1993) 97

Adamson, A.H., see Givens, D.I., 43 (1993) 51

Adebowale, E.A., see Nakashima, Y., 35 (1991) 309

Adebowale, E.A. and Nakashima, Y., Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219

Aderibigbe, A.O. and Cheeke, P.R., Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329

Adomako, D., see Donkoh, A., 35 (1991) 161

Adomako, D., see Osei, S.A., 35 (1991) 283

Aduku, A.O., see Balogun, T.F., 30 (1990) 193

Aguilera, J.F., Bustos, M. and Molina, E., The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101

Aguilera, J.F., see Prieto, C., 47 (1994) 151

Agunbiade, J.A., Wiseman, J. and Cole, D.J.A., Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303

Aharoni, Y., see Brosh, A., 40 (1993) 165

Aherne, F.X., see Shaw, J., 28 (1990) 71

Aherne, F.X., see Fengler, A.I., 28 (1990) 243

Aherne, F.X., see Shaw, J., 28 (1990) 325

Ahn, J.H., Robertson, B.M., Elliott, R., Gutteridge, R.C. and Ford, C.W., Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147

Ahrens, F., see Mosenthin, R., 37 (1992) 245

Ahrens, F., see Inborr, J., 44 (1993) 113

Akiba, Y., Hah, T.W., Murakami, H., Horiguchi, M. and Yamazaki, M., Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259

Akin, D.E., Borneman, W.S. and Lyon, D.E., Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205

Akin, D.E., see Ohlde, G.W., 36 (1992) 173

Akin, D.E., Rigsby, L.L., Hanna, W.W. and Lyon, C.E., In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Al-Zubaidy, S.S., Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13

Alaku, S.O., see Olawuni, K.A., 38 (1992) 1

Aletor, V.A. and Omodara, O.A., Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous anti-nutritional constituents (Short Communication), 46 (1994) 343

Aletor, V.A., Goodchild, A.V. and Abd El Moneim, A.M., Nutritional and antrinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125

Alexandrov, A.N., see Todorov, N.A., 45 (1994) 299

Alhassan, W.S. and Aliyu, S.U., Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Ali, A., see Khan, M.F., 38 (1992) 135

Ali-Ali, see Kayouli, C., 40 (1993) 343

Alibés, X, see Joy, M., 38 (1992) 319

Alifakiotis, T., see Stanogias, G., 47 (1994) 287

Aliyu, S.U., see Alhassan, W.S., 33 (1991) 289

Allee, G.L., see Zhu, X.S., 27 (1990) 341
Allen, V.G., see Samuels, W.A., 38 (1992) 305
Almiladi, A.A., see Moloney, A.P., 50 (1994) 37
Alsobayel, A.A., see Attia, F.M., 34 (1991) 1
Alsobayel, A.A., see Attia, F.M., 44 (1993) 85
Åman, P., Pettersson, D. and Graham, H., Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
Åman, P., see Graham, H., 32 (1991) 143
Åman, P., see Pettersson, D., 33 (1991) 1
Åman, P., see Löwgren, W., 39 (1992) 183
Åman, P., see Löwgren, W., 40 (1993) 223
Åman, P., see Abrahamsson, M., 42 (1993) 15
Amato, S.V., see Damron, B.L., 31 (1990) 79
Amenta, V.C.M., see King, R.H., 37 (1992) 1
Ammerman, C.B., see Van Ravenswaay, R.O., 39 (1992) 13
Ammerman, C.B., see Pott, E.B., 45 (1994) 193
Andersen, L.M., see Batterham, E.S., 26 (1989) 191
Andersen, L.M., see Batterham, E.S., 35 (1991) 181
Andersen, L.M., see Batterham, E.S., 50 (1994) 167
Anderson, D.M., see Donovan, B.C., 33 (1991) 87
Anderson, D.M., see Donovan, B.C., 43 (1993) 77
Anderson, D.M., see Rose, S.P., 49 (1994) 163
Anderson, P.D., see Chestnut, A.B., 35 (1991) 227
Andries, J.I., see De Boever, J.L., 27 (1990) 281
Andrieu, J., see Aufrère, J., 36 (1992) 187
Andrieu, J.P., see Aufrère, J., 50 (1994) 75
Andrighetto, I., Gruber, L., Cozzi, G., Uray, G., Guidetti, G. and Buchgraber, K., Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323
Annison, G., see Li, X., 37 (1992) 221
Annison, G., Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
Antongiovanni, M., see Susmel, P., 49 (1994) 119
Antoniewicz, A.M., Van Vuuren, A.M., Van der Koelen, C.J. and Kosmala, I., Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
Arbaoui, M.I., see Benabdeljelil, K., 48 (1994) 325
Arieli, A. and Werner, D., Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299
Armoo, D., see Osei, S.A., 37 (1992) 317
Aronen, I., Vanhatalo, A. and Varvikko, T., Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
Aronen, I., Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
Aronen, I., Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
Arumugam, M.P., Vedhanayagam, K., Doraisamy, K.A. and Narahari, D., Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119
Asfaw Yimegnuhal, see Capper, B.S., 36 (1992) 59
Ash, A.J., The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
Ashbell, G., see Weinberg, Z.G., 32 (1991) 313
Ashbell, G., see Meeske, R., 43 (1993) 165
Asiamah, M., see Osei, S.A., 29 (1990) 295
Askbrant, S., see Malmlöf, K., 46 (1994) 163
Assoumani, M.B., Vedeau, F., Jacquot, L. and Sniffen, C.J., Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
Atreja, P.P., see Samanta, A.K., 50 (1994) 157
Attia, F.M., Alsobayel, A.A. and Bayoumi, M.S., Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
Attia, F.M., Alsobayel, A.A., Bayoumi, M.S. and Haroun, I.Y., Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85
Atuahene, C.C., see Osei, S.A., 29 (1990) 295

Atuahene, C.C., see Osei, S.A., 29 (1990) 303
Atuahene, C.C., see Donkoh, A., 30 (1990) 155
Atuahene, C.C., see Donkoh, A., 35 (1991) 161
Atuahene, C.C., see Osei, S.A., 35 (1991) 283
Aufrère, J., Graviou, D., Demarquilly, C., Vérité, R., Michalet-Doreau, B. and Chapoutot, P., Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97
Aufrère, J., see Fahmy, W.G., 35 (1991) 115
Aufrère, J., Graviou, D., Demarquilly, C., Andrieu, J., Emile, J.C., Giovanni, R. and Maupetit, P., Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
Aufrère, J., see Giger-Reverdin, S., 48 (1994) 73
Aufrère, J., Boulberhane, D., Graviou, D., Andrieu, J.P. and Demarquilly, C., Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75
Aumaître, A., see Bourdon, D., 30 (1990) 175
Aumont, G., see Salas, M., 39 (1992) 265
Avondo, M., see D'Urso, G., 42 (1993) 259
Axtell, J.D., see Cherney, D.J.R., 39 (1992) 79
Ayangbile, O.A., Tallam, S.K. and Surtan, M.S., Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153

B

Ba, S., see Geay, Y., 36 (1992) 255
Babatunde, G.M. and Pond, W.G., Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
Babatunde, G.M., see Fajimi, A.O., 43 (1993) 177
Baidoo, S.K., see Shaw, J., 28 (1990) 71
Baidoo, S.K., see Shaw, J., 28 (1990) 325
Baigent, D.R., see Batterham, E.S., 27 (1990) 317
Baigent, D.R., see Batterham, E.S., 35 (1991) 181
Bainton, J., see Machin, D.H., 28 (1990) 199
Bainton, S.J., Plumb, V.E., Juliano, B.O., Perez, C.M., Roxas, D.B., Khush, G.S., De Jesus, J.C. and Gomez, K.A., Variation in the nutritional value of rice straw, 34 (1991) 261
Baker, C.W., see Givens, D.I., 35 (1991) 83
Baker, C.W., see Givens, D.I., 36 (1992) 1
Baker, C.W., see Givens, D.I., 37 (1992) 281
Baker, C.W., Givens, D.I. and Deaville, E.R., Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17
Balcells, J., see Gasa, J., 39 (1992) 193
Balcells, J., see Fondevilla, M., 50 (1994) 137
Balde, A.T., Vandersall, J.H., Erdman, R.A., Reeves III, J.B. and Glenn, B.P., Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29
Baldeweg, P., see Flachowsky, G., 39 (1992) 173
Baldi, A., see Corino, C., 35 (1991) 321
Balogun, T.F., Aduku, A.O., Dim, N.I. and Olorunju, S.A.S., Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing–finishing pigs, 30 (1990) 193
Bar-Tsur, A., see Brosh, A., 26 (1989) 287
Barak, M., see Maltz, E., 35 (1991) 15
Baraniak, B., The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305
Barber, G.D., Givens, D.I., Kridis, M.S., Offer, N.W. and Murray, I., Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
Bárcena-Gama, J.R., see Plata P., F., 49 (1994) 203
Barej, W., see Puchala, R., 48 (1994) 121
Barrera, J., see Tortuero, F., 48 (1994) 1
Barrier-Guillot, B., Zuprizal, Jondreville, C., Chagneau, A.M., Larbier, M. and Leuillet, M., Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
Barry, P., see Grenet, E., 26 (1989) 55
Barry, T.N., see Eijssen, A.F.M.M., 28 (1990) 145
Barton II, F.E., New methods for the structural and compositional analysis of cell walls for quality determinations, 32 (1991) 1
Bas, F.J., Stern, M.D. and Fahey Jr., G.C., Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Bates, D.B., see Richards, D.E., 46 (1994) 37

Bates, D.B., see Richards, D.E., 46 (1994) 53
Batterham, E.S., Saini, H.S. and Andersen, L.M., The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
Batterham, E.S., Saini, H.S. and Baigent, D.R., The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
Batterham, E.S., Andersen, L.M., Baigent, D.R. and Green, A.G., Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181
Batterham, E.S., Andersen, L.M. and Green, A.G., Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167
Baudart, E., see Mathot, P., 39 (1992) 227
Bayoumi, M.S., see Attia, F.M., 34 (1991) 1
Bayoumi, M.S., see Attia, F.M., 44 (1993) 85
Beames, R.M., see Eggum, B.O., 43 (1993) 109
Beames, R.M., see McDougall, N.R., 45 (1994) 139
Beauchemin, K.A. and Buchanan-Smith, J.G., Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
Beauchemin, K.A., Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41
Beaulieu, A.D., Olubobokun, J.A. and Christensen, D.A., The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289
Beaumatin, Ph., see Stevani, J., 36 (1992) 287
Becker, K., see Ohlde, G.W., 36 (1992) 173
Beckers, Y., see Leterme, P., 29 (1990) 45
Bedford, M.R., see Inborr, J., 46 (1994) 179
Beever, D.E., see McAllan, A.B., 46 (1994) 277
Belibasakis, N.G. and Triantos, A., Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151
Bell, J.M. and Keith, M.O., Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1
Bell, J.M. and Keith, M.O., Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
Bell, J.M. and Keith, M.O., Effects of adding barley hulls and linseed meal to wheat and hulless barley diets fed to growing pigs, 45 (1994) 177
Ben Amor, J., see Kayouli, C., 33 (1991) 237
Ben Salem, H., see Doreau, M., 44 (1993) 181
Ben Salem, H., Nefzaoui, A. and Abdouli, H., Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143
Ben Salem, H., Nefzaoui, A. and Rokbani, N., Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
Ben-Ghedalia, D., see Miron, J., 30 (1990) 107
Ben-Ghedalia, D., see Solomon, R., 37 (1992) 185
Ben-Ghedalia, D., Yosef, E. and Miron, J., Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
Ben-Ghedalia, D., Miron, J. and Solomon, R., The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
Ben-Ghedalia, D., see Yosef, E., 46 (1994) 331
Ben-Ghedalia, D., Yosef, E., Miron, J., Huttermann, A., Majcherczyk, A. and Milstein, O., Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2-treated wheat straw, 47 (1994) 89
Ben-Ghedalia, D., see Yosef, E., 50 (1994) 27
Benabdeljelil, K., Ryadi, A. and Jensen, L.S., Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
Benabdeljelil, K. and Arbaoui, M.I., Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
Benoff, F.H., see Damron, B.L., 31 (1990) 79
Beramis, M., see Hassoun, P., 29 (1990) 113
Bernalier, A., Fonty, G. and Gouet, Ph., Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
Bernalier, A., see Roger, V., 42 (1993) 69
Berot, S., see Champ, M., 32 (1991) 177
Bersch, S., see Kratzer, F.H., 31 (1990) 247
Bertechini, A.G., see Sazzad, H.M., 46 (1994) 271
Besle, J.M., see Sahnoune, S., 34 (1991) 75
Betty, R.G., see Fredrickson, E.L., 40 (1993) 93
Bhattacharya, A.N., *Citrullus colocynthis* seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57
Bhatty, R., see Campbell, G.L., 41 (1993) 191
Bielorai, R., Iosif, B. and Harduf, Z., Nitrogen, amino acid and starch absorption and endoge-

nous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
Biessy, G., see Salas, M., 39 (1992) 265
Biondi, L., see D'Urso, G., 42 (1993) 259
Bird, S.H., Romulo, B. and Leng, R.A., Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Björkgren, S., see Malmlöf, K., 46 (1994) 163
Bláha, J., Jíčínska, E., Veselý, D. and Jelínek, R., The effect of moulds on the nutritional value of wheat, 28 (1990) 315
Blanch, A., see Wiseman, J., 47 (1994) 225
Blümmel, M. and Ørskov, E.R., Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
Boer, H., see Van Der Poel, A.F.B., 26 (1989) 29
Boer, H., see Tamminga, S., 27 (1989) 49
Boer, H., see Van der Poel, A.F.B., 33 (1991) 49
Boer, H., see Hendriks, W.H., 48 (1994) 99
Bogaert, C., Gomez, L., Jouany, J.P. and Jeminet, G., Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
Bogaert, C., Jouany, J.P. and Jeminet, G., Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Bogaert, C., see Gomez, L., 31 (1990) 29
Bogusz, G., see Matyka, S., 31 (1990) 223
Boila, R.J. and Ingalls, J.R., The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
Boila, R.J. and Ingalls, J.R., The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173
Bolsen, K.K., see Esmail, S.H.M., 33 (1991) 79
Bolsen, K.K., see White, J.S., 33 (1991) 313
Bonhomme, A., Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
Bontempo, V., see Corino, C., 35 (1991) 321
Boon, J.J., see Morrison III, W.H., 32 (1991) 17
Boon, J.J., see Mulder, M.M., 39 (1992) 335
Borens, F.M.P. and Poppi, D.P., The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275
Borneman, W.S., see Akin, D.E., 31 (1990) 205
Bornholdt, U., see Mosenthin, R., 37 (1992) 245
Boros, D., see Marquardt, R.R., 45 (1994) 363
Bosch, M.W., see Bruining, M., 37 (1992) 193
Bouchez, P., see Toullec, R., 50 (1994) 101
Boucque, Ch.V., see Fiems, L.O., 26 (1989) 347
Boucqué, Ch.V., see Fiems, L.O., 30 (1990) 267
Boucqué, Ch.V., see De Brabander, D.L., 38 (1992) 57
Boucqué, Ch.V., see Fiems, L.O., 45 (1994) 131
Boucqué, Ch.V., see De Boever, J.L., 47 (1994) 1
Boulberhane, D., see Aufrère, J., 50 (1994) 75
Bourdon, D. and Aumaître, A., Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
Bourqué, Ch.V., Obituary, 33 (1991) i
Bovolenta, S., see Malossini, F., 50 (1994) 113
Bowles, J.E., see Langlands, J.P., 28 (1990) 1
Bowles, J.E., see Langlands, J.P., 28 (1990) 15
Bowles, J.E., see Donald, G.E., 40 (1993) 295
Bowles, J.E., see Langlands, J.P., 46 (1994) 109
Boza, J., see Khazaal, K., 49 (1994) 133
Brake, A.C., see Hall, K.L., 30 (1990) 275
Brakel, J., see Mathot, P., 39 (1992) 227
Brandt, M., see Südekum, K.-H., 38 (1992) 143
Brandt, M., see Südekum, K.-H., 46 (1994) 307
Bremmers, R., see Van der Poel, A.F.B., 29 (1990) 309
Brenes, A., see Treviño, J., 30 (1990) 313
Brenes, A., see Viveros, A., 48 (1994) 237
Breton, A., see Grenet, E., 26 (1989) 55
Brink, G.E., see Fairbrother, T.E., 28 (1990) 293
Britton, R.A., see Oliveros, B.A., 44 (1993) 59
Brizuela, M.A., Cid, M.S., Miñón, D.P. and Fernández Grecco, R., Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321
Broesder, J.T., Gunter, S.A., Krysl, L.J. and Judkins, M.B., Digestion of ruminal masticate dried by three different methods, 37 (1992) 323
Brookes, I.M., see Eijssen, A.F.M.M., 28 (1990) 145
Brosh, A., Holzer, Z., Bar-Tsur, A., Levy, D., Ilan, D. and Kali, J., High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
Brosh, A., see Silanikove, N., 31 (1990) 117
Brosh, A., Holzer, Z., Levy, D. and Aharoni, Y., The effect of maize grain supplementation of diets based on wheat straw and poultry litter

on their utilization by beef cattle, 40 (1993) 165
Broudiscou, L., Van Nevel, C.J. and Demeyer, D.I., Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51
Broudiscou, L. and Lassalas, B., Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
Broudiscou, L., Pochet, S. and Poncet, C., Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
Brown, D., see Fuller, M.F., 48 (1994) 305
Brown, D.L., see Shqueir, A.A., 27 (1989) 127
Brown, W.F., see Richards, D.E., 46 (1994) 37
Brown, W.F., see Richards, D.E., 46 (1994) 53
Brown, W.G., see King, R.H., 37 (1992) 1
Bruchem, J., see Kaitho, R.J., 43 (1993) 19
Brufau, J., Nogareda, C., Pérez-Vendrell, A., Francesch, M. and Esteve-Garcia, E., Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
Bruining, M. and Bosch, M.W., Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193
Buchanan-Smith, J.G., see Beauchemin, K.A., 27 (1989) 59
Buchgraber, K., see Andrighetto, I., 39 (1992) 323
Bunting, L.D., see Kennedy, D.W., 36 (1992) 91
Bunting, L.D., Sticker, L.S., Kappel, L.C. and Zhang, Y., Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229
Burianová, T., Kopečný, J., Sajdook, J. and Káš, J., Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41
Burke, G.L., see Donald, G.E., 40 (1993) 295
Bustos, M., see Aguilera, J.F., 36 (1992) 101
Butterworth, M.H., see Soller, H., 33 (1991) 297
Buttery, P.J. and Sweet, A., Manipulation of lean deposition in animals, 45 (1993) 97
Buxton, D.R., Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119
Buxton, D.R., see Russel, J.R., 38 (1992) 11
Buxton, D.R., see Irlbeck, N.A., 41 (1993) 51
Buysse, F.X., see De Boever, J.L., 27 (1990) 281
Buysse, F.X., see Fiems, L.O., 30 (1990) 267

C

Cadenhead, A., see Fuller, M.F., 48 (1994) 305
Caffin, M.-P., see Leon, A.M., 32 (1991) 297
Caffrey, P.J., see Moloney, A.P., 50 (1994) 37
Calsamiglia, S., Stern, M.D. and Crooker, B.A., Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient low from a continuous culture system, 39 (1992) 239
Calvert, C.C., see Pond, W.G., 33 (1991) 221
Campbell, G.L., Rossnagel, B.G., Classen, H.L. and Thacker, P.A., Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
Campbell, G.L., see Salih, M.E., 33 (1991) 139
Campbell, G.L., Rossnagel, B.G. and Bhatty, R., Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191
Campbell, G.L., see Thacker, P.A., 46 (1994) 251
Cann, I.K.O., Kobayashi, Y., Wakita, M. and Hoshino, S., Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Capper, B.S., Thomson, E.F. and Rihawi, S., Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
Capper, B.S., see Erskine, W., 28 (1990) 61
Capper, B.S., Asfaw Yimegnuhal and O'Connor, C.B., Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
Carabaño, M.-J., see Wiseman, J., 39 (1992) 27
Carabaño, R.M., see Wiseman, J., 39 (1992) 27
Carazzolo, A., see Xiccato, G., 49 (1994) 311
Carmean, B.R., see Kung Jr., L., 39 (1992) 1
Caro, M.R., Zamora, E., León, L., Cuello, F., Salinas, J., Megias, D., Cubero, M.J. and Contreras, A., Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
Carre, B., see Conan, L., 26 (1989) 337
Carré, B., see Chabeauti, E., 32 (1991) 207
Carré, B., see Gidenne, T., 32 (1991) 215
Carré, B., see Lacassagne, L., 34 (1991) 11
Carro, M.D., Lebzien, P. and Rohr, K., Influence of yeast culture on the in vitro fermentation

(Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209
Casler, M.D., see Collins, M., 27 (1990) 197
Casler, M.D., see Collins, M., 27 (1990) 209
Casler, M.D., see Jung, H.G., 32 (1991) 63
Castaing, J., see Metayer, J.P., 43 (1993) 87
Castanon, J.I.R. and Marquardt, R.R., Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
Castanon, J.I.R., Ortiz, V. and Perez-Lanzac, J., Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
Castaño, M., see Viveros, A., 48 (1994) 237
Castañon, J.I.R., see Ventura, M.R., 49 (1994) 87
Castañon, J.I.R., see Flores, M.P., 49 (1994) 237
Castejon, M. and Leaver, J.D., Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
Castrillo, C., see Gasa, J., 39 (1992) 193
Castrillo, C., see Fondevilla, M., 50 (1994) 137
Castro, F.B., Hotten, P.M. and Ørskov, E.R., The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
Castro, F.B., Hotten, P.M. and Ørskov, E.R., Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55
Caugant, I., Toullec, R., Guilloteau, P. and Savoie, L., Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223
Centeno, C., see Treviño, J., 30 (1990) 313
Centeno, C., see Treviño, J., 37 (1992) 345
Centeno, C., see Ortiz, L.T., 41 (1993) 271
Cerneau, P., see Michalet-Doreau, B., 35 (1991) 69
Chabeauti, E., Noblet, J. and Carré, B., Digestion of plant cell walls from four different sources in growing pigs, 32 (1991) 207
Chagneau, A.M., see Zuprizal, 34 (1991) 255
Chagneau, A.M., see Zuprizal, 35 (1991) 237
Chagneau, A.M., see Barrier-Guillot, B., 41 (1993) 149
Chamberlain, D.G., see Newbold, C.J., 35 (1991) 191
Chamberlain, D.G. and Robertson, S., The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
Champ, M., Berot, S., Kozlowski, F., Lecannu, G. and Delort- Laval, J., Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177
Chanpongsang, S., see Doyle, P.T., 29 (1990) 15
Chapoutot, P., see Aufrère, J., 33 (1991) 97
Chaudhry, A.S. and Webster, A.J.F., The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209
Chaudhry, A.S. and Miller, E.L., In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
Cheeke, P.R., see Aderibigbe, A.O., 41 (1993) 329
Cheema, A.U., see Fredrickson, E.L., 40 (1993) 93
Chen, C.-M., see Yin, Y.-L., 35 (1991) 271
Chen, C.-M., see Yin, Y.-L., 44 (1993) 1
Chen, C.-M., see Yin, Y.L., 45 (1994) 283
Chen, T.C. and Day, E.J., Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
Chen, X.-S., see Yin, Y.L., 45 (1994) 283
Chen, X.B., see Gomes, M.J., 49 (1994) 277
Cheng, K.-J., see Kudo, H., 29 (1990) 159
Cheng, K.-J., see McAllister, T.A., 30 (1990) 91
Chenost, M., see Sahnoune, S., 34 (1991) 75
Chenost, M., see Hassen, L., 38 (1992) 25
Cherian, G., Sauer, W.C. and Thacker, P.A., Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
Chermiti, A., Teller, E., Vanbelle, M., Collignon, G. and Matatu, B., Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
Cherney, D.J.R., Mertens, D.R. and Moore, J.E., Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
Cherney, D.J.R., Volenec, J.J. and Cherney, J.H., Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9
Cherney, D.J.R., Cherney, J.H., Patterson, J.A. and Axtell, J.D., In vitro ruminal fiber digestion as influenced by phenolic–carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

Cherney, J.H., see Cherney, D.J.R., 37 (1992) 9
Cherney, J.H., see Cherney, D.J.R., 39 (1992) 79
Chesson, A., see Mulder, M.M., 32 (1991) 185
Chesson, A., see Wallace, G., 32 (1991) 193
Chesson, A., see Garrido, A., 39 (1992) 313
Chesson, A., Feed enzymes, 45 (1993) 65
Chestnut, A.B., Fribourg, H.A., Gwinn, K.D., Anderson, P.D. and Cochran, M.A., Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
Chestnutt, D.M.B., see Patterson, D.C., 46 (1994) 11
Chhabra, A., see Samanta, A.K., 50 (1994) 157
Chiavari, G., see Zadražil, F., 32 (1991) 137
Chin, D.T.F., see Ridzwan, B.H., 40 (1993) 267
Chopra, R.C., see Samanta, A.K., 50 (1994) 157
Christaki, E.V., see Yannakopoulos, A.L., 36 (1992) 53
Christaki, E.V., Florou-Paneri, P., Tserveni-Gousi, A.L. and Spais, A.V., Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169
Christensen, D.A., see Beaulieu, A.D., 30 (1990) 289
Chunping, Z., see Tingda, J., 37 (1992) 175
Cid, M.S., see Brizuela, M.A., 30 (1990) 321
Cilliers, J.W. and Van der Merwe, H.J., Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
Cinetto, M., see Xiccato, G., 49 (1994) 311
Clanton, D., see Goedeken, F., 26 (1989) 129
Classen, H.L., see Campbell, G.L., 26 (1989) 221
Classen, H.L., see Salih, M.E., 33 (1991) 139
Coates, W.E., see Glenn, E.P., 40 (1992) 21
Cochran, M.A., see Chestnut, A.B., 35 (1991) 227
Coïc, J.P., see Quinsac, A., 48 (1994) 265
Cole, D.J.A., see Agunbiade, J.A., 36 (1992) 303
Cole, D.J.A., see Thorne, P.J., 40 (1992) 31
Coleman, S.W. and Murray, I., The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
Coleou, J., see Sahle, M., 36 (1992) 29
Colitti, M., see Susmel, P., 42 (1993) 1
Collignon, G., see Chermiti, A., 47 (1994) 41
Collins, M. and Casler, M.D., Forage quality of five cool-season grasses. I. Cultivar effects, 27 (1990) 197
Collins, M. and Casler, M.D., Forage quality of five cool-season grasses. II. Species effects, 27 (1990) 209
Collins, M., see Henning, J.C., 31 (1990) 193
Colucci, P.E., Falk, D., Macleod, G.K. and Grieve, D.G., In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Combellas, J., Priore, F., Peralta, J. and Zavarce, O., Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
Combes, D., see Sahnoune, S., 34 (1991) 75
Combs, G.E., see Myer, R.O., 31 (1990) 43
Conan, L. and Carre, B., Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
Cone, J.W. and Engels, F.M., The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
Conner, M.C., see Deetz, L.E., 31 (1990) 293
Conrad, H.R., see Weiss, W.P., 39 (1992) 95
Contreras, A., see Caro, M.R., 31 (1990) 285
Cook, J.E., see Mason, V.C., 26 (1989) 207
Cook, J.E., see Mason, V.C., 28 (1990) 169
Cook, J.E., see Mason, V.C., 29 (1990) 237
Coon, C.N., see Leske, K.L., 41 (1993) 73
Corino, C., Baldi, A. and Bontempo, V., Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
Cosín, C., see Tortuero, F., 48 (1994) 1
Cosín, C., see González, V., 28 (1990) 267
Cossu, M.E., see Xiccato, G., 49 (1994) 311
Costerton, J.W., see Kudo, H., 29 (1990) 159
Costerton, J.W., see McAllister, T.A., 30 (1990) 91
Cottyn, B.G, see De Brabander, D.L., 38 (1992) 57
Cottyn, B.G., see Fiems, L.O., 26 (1989) 347
Cottyn, B.G., see De Boever, J.L., 27 (1990) 281
Cottyn, B.G., see Fiems, L.O., 30 (1990) 267
Cottyn, B.G., see Fiems, L.O., 45 (1994) 131
Cottyn, B.G., see De Boever, J.L., 47 (1994) 1
Coughlan, M.P., Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77
Cowie, E., see Mulder, M.M., 32 (1991) 185
Cozzi, G., see Andrighetto, I., 39 (1992) 323
Crooker, B.A., see Calsamiglia, S., 39 (1992) 239
Crow, G., see Marquardt, R.R., 45 (1994) 363
Crowley, M.L., Fisher, L.J. and Owen, B.D., Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

Cruz Soto, R., Muhammed, S.A., Newbold, C.J., Stewart, C.S. and Wallace, R.J., Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
Cubero, M.J., see Caro, M.R., 31 (1990) 285
Cuello, F., see Caro, M.R., 31 (1990) 285
Culot, M., see Leterme, P., 39 (1992) 209
Czarnecka, M., Czarnecki, Z. and Żuromska, M., Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
Czarnecki, Z., see Czarnecka, M., 34 (1991) 343

D

D'Mello, J.P.F. and Acamovic, T., *Leucaena leucocephala* in poultry nutrition — a review (Review), 26 (1989) 1
D'Mello, J.P.F. and Walker, A.G., Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
D'Mello, J.P.F., Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
D'Mello, J.P.F. and Duffus, C.M. (Guest Editors), Preface to Special Issue "Feed Additives and Supplements. Papers presented at the Third SAC (Scottish Agricultural College) Spring Conference, Edinburgh, 20 March 1992", 45 (1993) vii
D'Mello, J.P.F., Amino acid supplementation of cereal-based diets for non-ruminants, 45 (1993) 1
D'Urso, G., Avondo, M. and Biondi, L., Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Dahan, M.M., see Tuen, A.A., 32 (1991) 333
Dai, H., see Yin, Y.-L., 35 (1991) 271
Damron, B.L., Amato, S.V. and Benoff, F.H., Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
Dandanell Daveby, Y., see Abrahamsson, M., 42 (1993) 15
Danielsen, V., Eggum, B.O., Krogh Jensen, S. and Sørensen, H., Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239
Danielson, A.D., see Giesemann, M.A., 37 (1992) 233
Darcy-Vrillon, B. and Laplace, J.P., Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
Darcy-Vrillon, B., see Fuller, M.F., 48 (1994) 305
Dardillat, C., see Kayouli, C., 40 (1993) 343
Darko, C.A., see Kabuga, J.D., 40 (1993) 191
Datta, F.U., see Eggum, B.O., 43 (1993) 109
Day, E.J., see Chen, T.C., 27 (1989) 83
De Blas, C. and Villamide, M.J., Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239
De Blas, C., see Wiseman, J., 39 (1992) 27
De Blas, C., Wiseman, J., Fraga, M.-J. and Villamide, M.-J., Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39
De Boever, J.L., Andries, J.I., De Brabander, D.L., Cottyn, B.G. and Buysse, F.X., Chewing activity of ruminants as a measure of physical structure — a review of factors affecting it (Review), 27 (1990) 281
De Boever, J.L., Cottyn, B.G., Vanacker, J.M. and Boucqué, Ch.V., An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1
De Brabander, D.L., see De Boever, J.L., 27 (1990) 281
De Brabander, D.L., Cottyn, B.G and Boucqué, Ch.V., Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
De Jesus, J.C., see Bainton, S.J., 34 (1991) 261
De Lange, C.F.M., see Mosenthin, R., 37 (1992) 245
De Monredon, F., see Lacassagne, L., 34 (1991) 11
De Paepe, M., see Eeckhout, W., 47 (1994) 19
De Smet, S., Demeyer, D.I. and Van Nevel, C.J., Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
De Wit, J., see Schiere, J.B., 43 (1993) 121
Deaville, E.R. and Galbraith, H., Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

Deaville, E.R., Moss, A.R. and Givens, D.I., The nutritive value and chemical composition of energy-rich by-products for ruminants, 49 (1994) 261
Deaville, E.R., see Baker, C.W., 50 (1994) 17
DeB. Hovell, F.D., see Gomes, M.J., 49 (1994) 277
Debevere, C., see Mathot, P., 39 (1992) 227
Decuypere, J.A., see Vervaeke, I.J., 32 (1991) 55
Deetz, L.E., Conner, M.C., Rogers, J.A., Papas, A.M. and Richardson, C.R., Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
Deinum, B. and Maassen, A., Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
deLeeuw, J.W., see McNiven, M.A., 47 (1994) 31
Delort-Laval, J. (Guest Editor) and Demeyer, D., Preface to Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", 32 (1991) ix
Delort-Laval, J., see Champ, M., 32 (1991) 177
Delval, E., see Lallès, J.P., 35 (1991) 139
Demarquilly, C., see Aufrère, J., 33 (1991) 97
Demarquilly, C., see Fahmy, W.G., 35 (1991) 115
Demarquilly, C., see Aufrère, J., 36 (1992) 187
Demarquilly, C., see Giger-Reverdin, S., 48 (1994) 73
Demarquilly, C., see Aufrère, J., 50 (1994) 75
Demeyer, D., see Delort-Laval, J. 32 (1991) ix
Demeyer, D.I., see Broudiscou, L., 30 (1990) 51
Demeyer, D.I., see Van Nevel, C.J., 31 (1990) 323
Demeyer, D.I., see Vervaeke, I.J., 32 (1991) 55
Demeyer, D.I., see Van Nevel, C.J., 37 (1992) 21
Demeyer, D.I., see De Smet, S., 37 (1992) 333
Demeyer, D.I., see Kayouli, C., 40 (1993) 343
Den Hartog, L.A., see Van Der Poel, A.F.B., 26 (1989) 29
Den Hartog, L.A., see Van der Poel, A.F.B., 29 (1990) 309
DePeters, E.J. and Zinn, R.A., Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
Dewey, P., see Rubio, L.A., 49 (1994) 93
Dewey, P.J.S., see Givens, D.I., 28 (1990) 103
Deyoe, C.W., see Zhu, X.S., 34 (1991) 229
Dhanoa, M.S., see Mason, V.C., 26 (1989) 207
Dhanoa, M.S., see Mason, V.C., 27 (1990) 293
Dhanoa, M.S., see Mason, V.C., 29 (1990) 237
Dhanoa, M.S., see Theodorou, M.K., 48 (1994) 185
Dharmender, Lohan, O.P. and Rathee, C.S., Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169
Dias-da-Silva, A.A. and Guedes, C.V.M., Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Dierick, N.A., see Vervaeke, I.J., 32 (1991) 55
Dihua, M., see Tingda, J., 37 (1992) 175
Dim, N.I., see Balogun, T.F., 30 (1990) 193
Dim, N.I., see Iwuanyanwu, I.E.J., 31 (1990) 277
Dixon, R.M., see Woldetsadick, F., 49 (1994) 325
Djajanegara, A. and Doyle, P.T., Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17
Djajanegara, A. and Doyle, P.T., Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
Djouvinov, D.S. and Todorov, N.A., Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
Dobos, R.C., see Nandra, K.S., 43 (1993) 227
Dodson, A.P., see Khazaal, K.A., 41 (1993) 15
Donald, G.E., see Langlands, J.P., 28 (1990) 1
Donald, G.E., see Langlands, J.P., 28 (1990) 15
Donald, G.E., Langlands, J.P., Bowles, J.E., Smith, A.J. and Burke, G.L., Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
Donald, G.E., see Langlands, J.P., 46 (1994) 109
Donaldson, E., see Givens, D.I., 28 (1990) 103
Donkoh, A., Kese, A.G. and Atuahene, C.C., Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155
Donkoh, A., Atuahene, C.C., Wilson, B.N. and Adomako, D., Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
Donkoh, A., Moughan, P.J. and Smith, W.C., Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
Donkoh, A., Moughan, P.J. and Smith, W.C., The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and

bone meal for the growing pig, 49 (1994) 57
Donkoh, A., Moughan, P.J. and Smith, W.C., True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
Donovan, B.C., McNiven, M.A., MacLeod, J.A. and Anderson, D.M., Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87
Donovan, B.C., McNiven, M.A., Van Lunen, T.A., Anderson, D.M. and MacLeod, J.A., Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
Doraisamy, K.A., see Arumugam, M.P., 26 (1989) 119
Doreau, M., Ben Salem, H. and Krzeminski, R., Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
Doreau, M. and Ferlay, A., Digestion and utilisation of fatty acids by ruminants, 45 (1994) 379
Dougherty, C.T., see Henning, J.C., 31 (1990) 193
Doyle, P.T., see Djajanegara, A., 27 (1989) 17
Doyle, P.T., see Djajanegara, A., 27 (1989) 31
Doyle, P.T., see Wales, W.J., 29 (1990) 1
Doyle, P.T. and Chanpongsang, S., The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
Doyle, P.T. and Panday, S.B., The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
Drennan, M.J., see Moloney, A.P., 50 (1994) 37
Drennan, M.J., see Moloney, A.P., 50 (1994) 55
Du Plessis, G.S., see Smith, W.A., 49 (1994) 287
Dubois, S., see Noblet, J., 42 (1993) 131
Duffus, C.M., see D'Mello, J.P.F., 45 (1993) vii
Düngelhoef, M., Rodehutscord, M., Spiekers, H. and Pfeffer, E., Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Dupire, C., see Noblet, J., 42 (1993) 131
Durand, M., see Stevani, J., 36 (1992) 287
Durunna, C.S., see Udedibie, A.B.I., 48 (1994) 335
Dzowela, B.H., Kumwenda, M.S.L., Msiska, H.D.C., Hodges, E.M. and Gray, R.C., Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255

E

Economides, S., Georghiades, E., Koumas, A. and Hadjipanayiotou, M., The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the preweaning growth of their offspring, 26 (1989) 93
Economides, S., Koumas, A., Georghiades, E. and Hadjipanayiotou, M., The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
Edmunds, B.K., see Wiseman, J., 36 (1992) 41
Eeckhout, W. and De Paepe, M., Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19
Eggum, B.O., see Heger, J., 29 (1990) 89
Eggum, B.O., see Stritzler, N.P., 38 (1992) 263
Eggum, B.O., Tomes, G., Beames, R.M. and Datta, F.U., Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109
Eggum, B.O., see Danielsen, V., 46 (1994) 239
Ehara, H., see Goto, M., 48 (1994) 27
Eijssen, A.F.M.M., Barry, T.N. and Brookes, I.M., The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145
Ekperigin, H.E., see Kratzer, F.H., 46 (1994) 67
El Zubeir, E.A., see Hamid, I.I., 29 (1990) 289
El Zubeir, E.A. and Mustafa, E.A., The replacement value of sorghum gluten meal for soyabean meal in broiler chick diets (Short Communication), 36 (1992) 339
El-Shazly, K., see Fahmy, W.G., 35 (1991) 115
Elizalde, J.C., Rearte, D.H. and Santini, F.J., Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Elizalde, J.C., Santini, F.J. and Pasinato, A.M., The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
Elliott, R., see Ahn, J.H., 27 (1989) 147
Elliott, R., see McMeniman, N.P., 28 (1990) 155
Ellis, M., see Hemsley, C.L., 26 (1989) 139
Ellis, M., see Hemsley, C.L., 26 (1989) 153
Elmore, R., see Pond, W.G., 33 (1991) 221
Elzubeir, E.A. and Mohammed, O.A., Dietary protein and energy effects on reproductive

characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
Elzubeir, E.A. and Jubarah, S.K., Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93
Elzubeir, E.A., see Khalifa, N.A., 48 (1994) 165
Emanuelson, M., Murphy, M. and Lindberg, J.-E., Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
Emile, J.C., see Aufrère, J., 36 (1992) 187
Engels, F.M., see Mulder, M.M., 39 (1992) 335
Engels, F.M., see Cone, J.W., 40 (1993) 331
Engstrom, D.F., Mathison, G.W. and Goonewardene, L.A., Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
Erdman, R.A., see Balde, A.T., 44 (1993) 29
Ernst, R.A., see Kratzer, F.H., 31 (1990) 247
Erskine, W., Rihawi, S. and Capper, B.S., Variation in lentil straw quality, 28 (1990) 61
Eshwaraiah, see Rajashekher, A.R., 44 (1993) 151
Esmail, S.H.M., Bolsen, K.K. and Pfaff, L., Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
Esonu, B.O., see Udedibie, A.B.I., 48 (1994) 335
Esteve-Garcia, E., see Brufau, J., 34 (1991) 193
Everington, J.M., see Givens, D.I., 26 (1989) 323
Everington, J.M., see Givens, D.I., 27 (1989) 157
Everington, J.M., see Givens, D.I., 27 (1990) 173
Everington, J.M., see Givens, D.I., 27 (1990) 185
Everington, J.M., see Moss, A.R., 29 (1990) 73
Everington, J.M. and Givens, D.I., Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163
Everington, J.M., see Givens, D.I., 38 (1992) 281
Excoffier, G., see Toussaint, B., 32 (1991) 235

F

Fadel, J.G., Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
Fadel, J.G., see Vadiveloo, J., 37 (1992) 265
Fadzli, M.K., see Ridzwan, B.H., 40 (1993) 267
Fagbenro, O.A. and Jauncey, K., Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167
Fahey Jr., G.C., see Bas, F.J., 29 (1990) 101
Fahmy, S.T.M. and Klopfenstein, T.J., Treatment with different chemicals and their effects on the digestibility of maize stalks, 38 (1992) 351
Fahmy, S.T.M. and Klopfenstein, T.J., Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309
Fahmy, W.G., Aufrère, J., Graviou, D., Demarquilly, C. and El-Shazly, K., Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
Fairbrother, T.E. and Brink, G.E., Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293
Fajimi, A.O., Babatunde, G.M., Ogunlana, F.F. and Oyejide, A., Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177
Falconer, M.L., see Wallace, R.J., 37 (1992) 129
Falk, D., see Colucci, P.E., 37 (1992) 73
Fanimo, O.A., see Fashina-Bombata, H.A., 47 (1994) 165
Fanimo, O.A., see Fashina-Bombata, H.A., 47 (1994) 171
Faridnordin, B.I., see Ridzwan, B.H., 40 (1993) 267
Farrell, D.J., see Warren, B.E., 27 (1990) 219
Farrell, D.J., see Warren, B.E., 27 (1990) 229
Farrell, D.J., see Warren, B.E., 27 (1990) 247
Farrell, D.J., see Warren, B.E., 27 (1990) 259
Farrell, D.J., see Xian, J., 34 (1991) 127
Farrell, D.J., see Warren, B.E., 34 (1991) 323
Fashina-Bombata, H.A. and Fanimo, O.A., The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
Fashina-Bombata, H.A., Fanimo, O.A. and Weingertner, K., Effect of extruded full fat soyabean meal as a replacement for ground-

nut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171
Fauduet, H., see Quinsac, A., 48 (1994) 265
Fengler, A.I., Aherne, F.X. and Robblee, A.R., Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
Ferlay, A., see Doreau, M., 45 (1994) 379
Fernández, E., see González, V., 28 (1990) 267
Fernández Grecco, R., see Brizuela, M.A., 30 (1990) 321
Fernández, J.A., see Lekule, F.P., 28 (1990) 91
Fernández, J.A., see Sibbald, I.R., 30 (1990) 131
Fernandez-Figares, I., see Prieto, C., 47 (1994) 151
Ferrando, G., see Prieto, C., 47 (1994) 151
Fiems, L.O., Vanopdenbosch, E., Boucque, Ch.V., Vancoillie, Y. and Cottyn, B.G., Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
Fiems, L.O., Boucqué, Ch.V., Cottyn, B.G. and Buysse, F.X., Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
Fiems, L.O., Cottyn, B.G. and Boucqué, Ch.V., A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131
Fikremariam, D., see Gomes, M.J., 49 (1994) 277
Fiorentini, L., see Masoero, F., 48 (1994) 253
Fisher, I.J., see Makoni, N.F., 41 (1993) 1
Fisher, L.J., see Crowley, M.L., 47 (1994) 245
Fitzner, G.E., see Weeden, T.L., 45 (1994) 211
Flachowsky, G., see Schneider, M., 29 (1990) 251
Flachowsky, G., Tiroke, K. and Schein, G., Botanical fractions of straw of 51 cereal varieties and in sacco degradability of various fractions, 34 (1991) 279
Flachowsky, G. and Grün, M., Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Flachowsky, G. and Schneider, M., Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
Flachowsky, G., Baldeweg, P. and Schein, G., A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
Flachowsky, G., Peyker, W., Schneider, A. and Henkel, K., Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41
Flachowsky, G., see Schubert, R., 48 (1994) 199
Flick, G.J., see Samuels, W.A., 38 (1992) 305
Flint, H.J. and Thomson, A.M., The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
Flores, M.P., Castañon, J.I.R. and McNab, J.M., Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
Florou-Paneri, P., see Christaki, E.V., 48 (1994) 169
Focant, M., Van Hoecke, A. and Vanbelle, M., The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303
Focant, M., Van Hoecke, A. and Vanbelle, M., Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
Focant, M., Meurens, M., Koshroff, S. and Vanbelle, M., Effects of dietary date pulp on digestion in the rat, 32 (1991) 229
Fondevilla, M., Castrillo, C., Guada, J.A. and Balcells, J., Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
Fontenot, J.P., see Samuels, W.A., 38 (1992) 305
Fonty, G., see Grenet, E., 26 (1989) 55
Fonty, G., see Bernalier, A., 32 (1991) 131
Fonty, G., see Roger, V., 42 (1993) 69
Forbes, W.A., see Neutze, S.A., 40 (1993) 251
Ford, C.W., see Ahn, J.H., 27 (1989) 147
Ford, M., see Goedeken, F., 26 (1989) 129
Forster Jr., L.A., see Hall, K.L., 30 (1990) 275
Forster Jr., L.A., see Galloway Sr., D.L., 32 (1991) 261
Forster Jr., L.A., see Sun, W., 34 (1991) 241
Forster Jr., L.A., see Patil, A.R., 44 (1993) 251
Forster Jr., L.A., Goetsch, A.L., Galloway Sr., D.L., Sun, W., Patil, A.R. and Johnson, Z.B., Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
Fortune, H., see Noblet, J., 42 (1993) 131
Foucart, M., see Walhain, P., 38 (1992) 43
Fraga, M.-J., see De Blas, C., 39 (1992) 39
France, J., see Theodorou, M.K., 48 (1994) 185

Francesch, M., see Brufau, J., 34 (1991) 193
Francioso, O., see Zadražil, F., 32 (1991) 137
Franklin, M.F., see Fuller, M.F., 48 (1994) 305
Fredrickson, E.L., Galyean, M.L., Betty, R.G. and Cheema, A.U., Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Fribourg, H.A., see Chestnut, A.B., 35 (1991) 227
Frimpong, E.B., see Osei, S.A., 35 (1991) 283
Froseth, J., see Pond, W.G., 33 (1991) 221
Frund, R., see Yosef, E., 46 (1994) 331
Frydrych, Z., Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
Fuller, M.F., Darcy-Vrillon, B., Laplace, J.P., Picard, M., Cadenhead, A., Jung, J., Brown, D. and Franklin, M.F., The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
Furniss, S., see Moss, A.R., 41 (1993) 199
Furuya, S. and Kaji, Y., Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
Furuya, S. and Kaji, Y., Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321

G

Galbraith, H., see Sinclair, L.A., 34 (1991) 181
Galbraith, H., see Deaville, E.R., 38 (1992) 123
Gallego, J.A., see Megías, M.D., 43 (1993) 269
Galletti, G.C., see Zadražil, F., 32 (1991) 137
Galloway Sr., D.L., Goetsch, A.L., Sun, W. and Forster Jr., L.A., Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Galloway Sr., D.L., see Sun, W., 34 (1991) 241
Galloway Sr., D.L., see Patil, A.R., 44 (1993) 251
Galloway Sr., D.L., see Forster Jr., L.A., 47 (1994) 259
Galyean, M.L., see Fredrickson, E.L., 40 (1993) 93
Garg, M.R. and Gupta, B.N., Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
Garino, H., see Phillip, L.E., 33 (1991) 29
Garnsworthy, P.C., see Moss, A.R., 49 (1994) 245
Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Van der Meer, J.M., Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199
Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Marquardt, R.R., Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205
Garrido, A., Gordon, A.H., Chesson, A., Murray, I. and Gómez-Cabrera, A., Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Gasa, J., Castrillo, C., Guada, J.A. and Balcells, J., Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
Gatel, F., Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317
Geay, Y., Richet, E., Ba, S. and Thivend, P., Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
Genizi, A., Goldman, A., Yulzari, A. and Seligman, N.G., Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265
Geoffroy, F., see Hassoun, P., 29 (1990) 113
Georghiades, E., see Economides, S., 26 (1989) 93
Georghiades, E., see Economides, S., 31 (1990) 105
Getachew, G., Said, A.N. and Sundstøl, F., The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
Gibson, M.L., see Morgan, E.K., 33 (1991) 59
Gidenne, T., Carré, B., Segura, M., Lapanouse, A. and Gomez, J., Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215
Gidenne, T., Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell

wall level on the transit of fibre particles of different sizes, 42 (1993) 151
Gidenne, T. and Perez, J.M., Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237
Gidenne, T. and Perez, J.M., Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249
Giesemann, M.A., Lewis, A.J., Peo Jr., E.R., Grabouski, H.A. and Danielson, A.D., Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
Giger-Reverdin, S., Sauvant, D., Najar, T. and Rigault, M., Diet influence on biological degradation in sacco of cell walls by ruminants, 32 (1991) 223
Giger-Reverdin, S., Aufrère, J., Sauvant, D., Demarquilly, C. and Vermorel, M., Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73
Giovanni, R., see Aufrère, J., 36 (1992) 187
Givens, D.I., Everington, J.M. and Adamson, A.H., Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173
Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185
Givens, D.I., Dewey, P.J.S., Donaldson, E., Jones, D.I.H. and Adamson, A.H., Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103
Givens, D.I., see Barber, G.D., 28 (1990) 115
Givens, D.I., see Moss, A.R., 29 (1990) 73
Givens, D.I., see Everington, J.M., 30 (1990) 163
Givens, D.I., see Moss, A.R., 31 (1990) 125
Givens, D.I., Baker, C.W., Moss, A.R. and Adamson, A.H., A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
Givens, D.I., Baker, C.W. and Zamime, B., Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
Givens, D.I., Moss, A.R. and Adamson, A.H., The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215
Givens, D.I., Baker, C.W., Adamson, A.H. and Moss, A.R., Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281
Givens, D.I., Moss, A.R. and Everington, J.M., Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
Givens, D.I., see Waters, C.J., 38 (1992) 335
Givens, D.I., see Moss, A.R., 39 (1992) 151
Givens, D.I., see Moss, A.R., 41 (1993) 199
Givens, D.I., Moss, A.R. and Adamson, A.H., Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
Givens, D.I., Moss, A.R. and Adamson, A.H., The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
Givens, D.I., Moss, A.R. and Adamson, A.H., The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
Givens, D.I. and Moss, A.R., Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155
Givens, D.I., see Moss, A.R., 47 (1994) 335
Givens, D.I., see Moss, A.R., 49 (1994) 245
Givens, D.I., see Deaville, E.R., 49 (1994) 261
Givens, D.I., see Baker, C.W., 50 (1994) 17
Glenn, B.P., see Balde, A.T., 44 (1993) 29
Glenn, E.P., Coates, W.E., Kuehl, R.O. and Swingle, R.S., *Salicornia bigelovii* Torr.: a seawater-irrigated forage for goats, 40 (1992) 21
Goedeken, F., Stock, R., Ford, M. and Clanton, D., Performance of finishing cattle fed maize

silage prior to grain adaptation, 26 (1989) 129
Goedhart, P.W., see Van der Koelen, C.J., 38 (1992) 35
Goetsch, A.L., see Hall, K.L., 30 (1990) 275
Goetsch, A.L., see Galloway Sr., D.L., 32 (1991) 261
Goetsch, A.L., see Sun, W., 34 (1991) 241
Goetsch, A.L., see Patil, A.R., 44 (1993) 251
Goetsch, A.L., see Forster Jr., L.A., 47 (1994) 259
Goldman, A., see Genizi, A., 29 (1990) 265
Gomes, M.J., DeB. Hovell, F.D., Chen, X.B., Nengomasha, E.M. and Fikremariam, D., The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
Gomez, J., see Gidenne, T., 32 (1991) 215
Gomez, K.A., see Bainton, S.J., 34 (1991) 261
Gomez, L., see Bogaert, C., 27 (1989) 1
Gomez, L., Jouany, J.P., Hillaire, M.C. and Bogaert, C., Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
Gómez-Cabrera, A., see Garrido, A., 35 (1991) 199
Gómez-Cabrera, A., see Garrido, A., 35 (1991) 205
Gómez-Cabrera, A., see Garrido, A., 39 (1992) 313
González M., S., see Plata P., F., 49 (1994) 203
González, V., Fernández, E. and Cosín, C., Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing–finishing cattle, 28 (1990) 267
Goodband, R.D., see Weeden, T.L., 45 (1994) 211
Goodchild, A.V., see Aletor, V.A., 47 (1994) 125
Goonewardene, L.A., see Engstrom, D.F., 37 (1992) 33
Gordon, A.H., see Garrido, A., 39 (1992) 313
Goto, I., see Zhao, J.Y., 41 (1993) 261
Goto, M., Takabe, K., Morita, O. and Abe, I., Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
Goto, M., Yokoe, Y., Takabe, K., Nisikawa, S. and Morita, O., Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
Goto, M., Matsuoka, J., Sato, T., Ehara, H. and Morita, O., Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
Gouet, P., see Roger, V., 42 (1993) 69
Gouet, Ph., see Bernalier, A., 32 (1991) 131
Grabouski, H.A., see Giesemann, M.A., 37 (1992) 233
Graham, H., see Åman, P., 29 (1990) 223
Graham, H., see Vervaeke, I.J., 32 (1991) 55
Graham, H. and Åman, P., Nutritional aspects of dietary fibres, 32 (1991) 143
Graham, H., see Pettersson, D., 33 (1991) 1
Graham, H., see Löwgren, W., 39 (1992) 183
Graham, H., see Löwgren, W., 40 (1993) 223
Graham, H., see Abrahamsson, M., 42 (1993) 15
Grant, G., see Rubio, L.A., 49 (1994) 93
Gravendeel, S., see Van der Poel, A.F.B., 33 (1991) 49
Gravendeel, S., see Van der Poel, A.F.B., 36 (1992) 205
Graviou, D., see Aufrère, J., 33 (1991) 97
Graviou, D., see Fahmy, W.G., 35 (1991) 115
Graviou, D., see Aufrère, J., 36 (1992) 187
Graviou, D., see Aufrère, J., 50 (1994) 75
Gray, R.C., see Dzowela, B.H., 28 (1990) 255
Green, A.G., see Batterham, E.S., 35 (1991) 181
Green, A.G., see Batterham, E.S., 50 (1994) 167
Greenhalgh, J.F.D., see Jakhmola, R.C., 28 (1990) 39
Greenhalgh, J.F.D., see Jakhmola, R.C., 41 (1993) 87
Greenhill, N.B., see King, R.H., 37 (1992) 1
Grenet, E., Breton, A., Barry, P. and Fonty, G., Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55
Grenet, E., Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27
Grenet, E., see Roger, V., 42 (1993) 69
Griessel, A., see Smith, W.A., 49 (1994) 287
Grieve, D.G., see Colucci, P.E., 37 (1992) 73
Grosjean, F., see Metayer, J.P., 43 (1993) 87
Gruber, L., see Andrighetto, I., 39 (1992) 323
Grün, M., see Schöne, F., 30 (1990) 143
Grün, M., see Flachowsky, G., 36 (1992) 239
Guada, J.A., see Gasa, J., 39 (1992) 193
Guada, J.A., see Fondevilla, M., 50 (1994) 137
Guedes, C.V.M., see Dias-da-Silva, A.A., 28 (1990) 79
Guenter, W., see Marquardt, R.R., 45 (1994) 363
Guerrero, J.E., see Garrido, A., 35 (1991) 199
Guerrero, J.E., see Garrido, A., 35 (1991) 205
Guessous, F., Luginbuhl, J.-M., Rihani, N. and Pond, K.R., Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
Guidetti, G., see Andrighetto, I., 39 (1992) 323

Guilloteau, P., see Caugant, I., 41 (1993) 223
Gunter, S.A., see Broesder, J.T., 37 (1992) 323
Gupta, B.N., see Rai, S.N., 26 (1989) 81
Gupta, B.N., see Garg, M.R., 38 (1992) 187
Gutteridge, R.C., see Ahn, J.H., 27 (1989) 147
Gwinn, K.D., see Chestnut, A.B., 35 (1991) 227

H

Haas, C., see Sahle, M., 36 (1992) 29
Hadjipanayiotou, M., see Economides, S., 26 (1989) 93
Hadjipanayiotou, M., see Economides, S., 31 (1990) 105
Hah, T.W., see Akiba, Y., 43 (1993) 259
Hakkarainen, J., see Hassan, S., 41 (1993) 103
Hall, D.D., see Sibbald, I.R., 30 (1990) 131
Hall, J.W., see Mir, P.S., 31 (1990) 17
Hall, J.W., see Mir, P.S., 32 (1991) 287
Hall, K.L., Goetsch, A.L., Landis, K.M., Forster Jr., L.A. and Brake, A.C., Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
Hallauer, A.R., see Russel, J.R., 38 (1992) 11
Hallauer, A.R., see Irlbeck, N.A., 41 (1993) 51
Halliday, L.J., see Murphy, S.R., 40 (1993) 273
Hamadi, M., see Khorchani, T., 39 (1992) 303
Hamid, I.I. and El Zubeir, E.A., Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289
Hamilton, R.M.G., see McNiven, M.A., 47 (1994) 31
Han, S.S., see Kudo, H., 29 (1990) 159
Hanczakowski, P., see Pisulewska, E., 27 (1989) 117
Hanczakowski, P. and Szymczyk, B., The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81
Handson, P.D., see King, R.H., 37 (1992) 1
Hanna, W.W., see Akin, D.E., 43 (1993) 303
Hannequart, G., see Stevani, J., 36 (1992) 287
Harduf, Z., see Weinberg, Z.G., 32 (1991) 313
Harduf, Z., see Bielorai, R., 33 (1991) 15
Haroun, I.Y., see Attia, F.M., 44 (1993) 85
Harrold, R.L., see Pond, W.G., 33 (1991) 221
Hartley, R.D., see Mason, V.C., 26 (1989) 207
Hartley, R.D., see Mason, V.C., 27 (1990) 293
Hartley, R.D., see Mason, V.C., 28 (1990) 169
Hartley, R.D., see Mason, V.C., 29 (1990) 237
Harvey, P., see Khazaal, K.A., 41 (1993) 15
Hassan, S., Hakkarainen, J., Lindberg, P. and Sankari, S., Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
Hassen, L. and Chenost, M., Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Hassoun, P., Geoffroy, F., Saminadin, G., Prior, P. and Beramis, M., Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
Hayat, J., Savage, T.F. and Mirosh, L.W., The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
Heathcote, D., see Osei, S.A., 35 (1991) 283
Hebel, P., see Ibáñez, I.A., 42 (1993) 165
Heger, J., Salek, M. and Eggum, B.O., Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
Heikonen, M., see Moisio, T., 47 (1994) 107
Hemsley, C.L., Rowlinson, P. and Ellis, M., Grape juice concentrate as feed for beef cattle, 26 (1989) 139
Hemsley, C.L., Ellis, M. and Rowlinson, P., Grape juice concentrate as a feed for growing pigs, 26 (1989) 153
Hen, Y., see Weinberg, Z.G., 32 (1991) 313
Henderson, N., Silage additives, 45 (1993) 35
Hendriks, W.H., Moughan, P.J., Boer, H. and Van der Poel, A.F.B., Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
Hendry, A., see Nandra, K.S., 43 (1993) 227
Henkel, K., see Flachowsky, G., 43 (1993) 41
Hennig, A., see Schöne, F., 30 (1990) 143
Henning, J.C., Dougherty, C.T., O'Leary, J. and Collins, M., Urea for preservation of moist hay, 31 (1990) 193
Henry, P.R., see Van Ravenswaay, R.O., 39 (1992) 13
Henry, P.R., see Pott, E.B., 45 (1994) 193
Herbert, F., see Thomson, E.F., 44 (1993) 191
Hermansen, J.E., Feed intake and milk yield us-

ing an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
Hernández, E., see Leal, M., 47 (1994) 141
Herrera, C.A., see Ibáñez, I.A., 42 (1993) 165
Hibberd, C.A., see Streeter, M.N., 29 (1990) 279
Hibberd, C.A., see Streeter, M.N., 44 (1993) 45
Hidayat, Hillman, K., Newbold, C.J. and Stewart, C.S., The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
Hill, G.M., see Streeter, M.N., 44 (1993) 45
Hillaire, M.C., see Gomez, L., 31 (1990) 29
Hillman, K., see Hidayat, 42 (1993) 193
Hindle, V.A., see Liu, Y.-G., 41 (1993) 133
Hindle, V.A., see Liu, Y.-G., 45 (1994) 397
Hindle, V.A., see Susmel, P., 49 (1994) 119
Hindle, V.A., see Steg, A., 50 (1994) 87
Ho, Y.W., Abdullah, N. and Jalaludin, S., Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Hoadley, C.J., see Mason, V.C., 29 (1990) 237
Hodges, E.M., see Dzowela, B.H., 28 (1990) 255
Holmes, J.H.G., see Woldetsadick, F., 49 (1994) 325
Holzer, Z., see Brosh, A., 26 (1989) 287
Holzer, Z., see Silanikove, N., 31 (1990) 117
Holzer, Z., see Brosh, A., 40 (1993) 165
Honeyman, M.S. and Zimmerman, D.R., Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
Hoover, W.H., see Webster, P.M., 30 (1990) 11
Horiguchi, M., see Akiba, Y., 43 (1993) 259
Hoshino, S., see Cann, I.K.O., 35 (1991) 55
Hoshino, S., see Kobayashi, Y., 36 (1992) 67
Hoshino, S., see Kobayashi, Y., 40 (1993) 177
Hotten, P.M., see Mulder, M.M., 32 (1991) 185
Hotten, P.M., see Castro, F.B., 42 (1993) 39
Hotten, P.M., see Castro, F.B., 42 (1993) 55
Howlider, M.A.R. and Rose, S.P., The response of growing male and female broiler chickens kept at different temperatures to dietary energy concentration and feed form, 39 (1992) 71
Hristov, A., Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
Hristov, A.N., Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
Hristov, A.N., Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143
Huang, J., see Luo, L., 34 (1991) 21
Huang, R.-L., see Yin, Y.-L., 42 (1993) 297
Huang, R.-L., see Yin, Y.-L., 44 (1993) 1
Huang, R.-L., see Yin, Y.L., 45 (1994) 283
Hughes, S.G., see Rumsey, G.L., 33 (1991) 177
Hughes, S.G., see Rumsey, G.L., 33 (1991) 185
Hughes, S.G., see Rumsey, G.L., 40 (1993) 135
Huhtanen, P., see Khalili, H., 33 (1991) 247
Huhtanen, P., see Khalili, H., 33 (1991) 263
Huhtanen, P. and Khalili, H., Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
Huhtanen, P., The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
Huhtanen, P., see Murphy, M., 41 (1993) 279
Huhtanen, P., Kaustell, K. and Jaakkola, S., The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211
Huisman, J., see Van der Poel, A.F.B., 29 (1990) 309
Huisman, J., see Jansman, A.J.M., 42 (1993) 83
Huisman, J., see Jansman, A.J.M., 43 (1993) 239
Hunan, R., see Yin, Y.-L., 35 (1991) 271
Husby, F., see Pond, W.G., 33 (1991) 221
Hüter, J., see Pallauf, J., 43 (1993) 65
Huttermann, A., see Yosef, E., 46 (1994) 331
Huttermann, A., see Ben-Ghedalia, D., 47 (1994) 89

I

Ibáñez, I.A., Herrera, C.A., Velásquez, L.A. and Hebel, P., Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165
Ibrahim, B.M., see Ridzwan, B.H., 40 (1993) 267
Ibrahim, M.N.M., see Schiere, J.B., 26 (1989) 179
Ibrahim, M.N.M., see Navaratne, H.V.R.G., 29 (1990) 209
Ichhponani, J.S., see Wadhwa, M., 40 (1993) 285
Ilan, D., see Brosh, A., 26 (1989) 287
Illg, D.J. and Stern, M.D., In vitro and in vivo comparisons of diaminopimelic acid and

purines for estimating protein synthesis in the rumen, 48 (1994) 49
Imai, S., see Kudo, H., 29 (1990) 159
Inborr, J., Schmitz, M. and Ahrens, F., Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
Inborr, J. and Bedford, M.R., Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
Ingalls, J.R. and Okemo, R.C., The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321
Ingalls, J.R., see Boila, R.J., 48 (1994) 57
Ingalls, J.R., see Boila, R.J., 49 (1994) 173
Iosif, B., see Bielorai, R., 33 (1991) 15
Irlbeck, N.A., see Russel, J.R., 38 (1992) 11
Irlbeck, N.A., Russel, J.R., Hallauer, A.R. and Buxton, D.R., Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
Ison, R.L., see Li, X., 37 (1992) 221
Ivusic, S.I., Mirosh, L.W. and Nakaue, H.S., Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205
Iwuanyanwu, I.E.J., Umunna, N.N. and Dim, N.I., Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277

J

Jaakkola, S., see Huhtanen, P., 48 (1994) 211
Jacquot, L., see Assoumani, M.B., 39 (1992) 357
Jakhmola, R.C., Weddell, J.R. and Greenhalgh, J.F.D., Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
Jakhmola, R.C., Weddell, J.R. and Greenhalgh, J.F.D., Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
Jalaludin, S., see Ho, Y.W., 34 (1991) 311
Jalč, D., Žitňan, R. and Nerud, F., Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
Jalč, D., see Zeleňák, I., 49 (1994) 211
James, K.A.C., see Moughan, P.J., 34 (1991) 95
Jamot, J., see Roger, V., 42 (1993) 69
Jansman, A.J.M., see Van der Poel, A.F.B., 36 (1992) 205
Jansman, A.J.M., Huisman, J. and Van der Poel, A.F.B., Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
Jansman, A.J.M., Verstegen, M.W.A. and Huisman, J., Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
Jarvis, M.C., see Wallace, G., 32 (1991) 193
Jaster, E.H. and Moore, K.J., Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261
Jaster, E.H. and Moore, K.J., Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175
Jauncey, K., see Fagbenro, O.A., 45 (1994) 167
Jelínek, R., see Bláha, J., 28 (1990) 315
Jeminet, G., see Bogaert, C., 27 (1989) 1
Jeminet, G., see Bogaert, C., 28 (1990) 183
Jensen, B.B., see Stritzler, N.P., 38 (1992) 263
Jensen, L.S., see Benabdeljelil, K., 30 (1990) 301
Jevne, C.J., see Leske, K.L., 41 (1993) 73
Jíčínska, E., see Bláha, J., 28 (1990) 315
Johnson, D.D., see Myer, R.O., 31 (1990) 43
Johnson, D.E., see Remillard, R.L., 30 (1990) 79
Johnson, Z.B., see Sun, W., 34 (1991) 241
Johnson, Z.B., see Forster Jr., L.A., 47 (1994) 259
Jondreville, C., see Barrier-Guillot, B., 41 (1993) 149
Jones, D.I.H., see Givens, D.I., 28 (1990) 103
Jones, R.J., LeFeuvre, R.P. and Playne, M.J., Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
Jongbloed, A.W. and Kemme, P.A., Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
Jongbloed, A.W., see Smits, B., 45 (1994) 349
Jonsson, A., Lindberg, H., Sundås, S., Lingvall, P. and Lindgren, S., Effect of additives on the quality of big-bale silage, 31 (1990) 139

Jørgensen, H., see Sibbald, I.R., 30 (1990) 131
Jørgenson, H., see Lekule, F.P., 28 (1990) 91
Jouany, J.P., see Bogaert, C., 27 (1989) 1
Jouany, J.P., see Bogaert, C., 28 (1990) 183
Jouany, J.P., see Ushida, K., 29 (1990) 153
Jouany, J.P., see Gomez, L., 31 (1990) 29
Jouany, J.P., see Kayouli, C., 33 (1991) 237
Jouany, J.P., see Sahnoune, S., 34 (1991) 75
Jouany, J.P., see Kayouli, C., 40 (1993) 343
Jouany, J.P., see Rémond, B., 41 (1993) 121
Joubert, H.W., see Snyman, L.D., 37 (1992) 47
Joy, M., Alibés, X and Muñoz, F., Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Jubarah, S.K., see Elzubeir, E.A., 44 (1993) 93
Judkins, M.B., Shain, D.H. and Radloff, H.D., Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Judkins, M.B., see Broesder, J.T., 37 (1992) 323
Juliano, B.O., see Bainton, S.J., 34 (1991) 261
Jung, H.G. and Casler, M.D., Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63
Jung, J., see Fuller, M.F., 48 (1994) 305
Just, A., see Lekule, F.P., 28 (1990) 91

K

Kabuga, J.D. and Darko, C.A., In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
Kadirvel, R., see Natanam, R., 27 (1989) 89
Kadirvel, R., see Natanam, R., 27 (1989) 95
Kaitho, R.J., Tamminga, S. and Bruchem, J., Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
Kaji, Y., see Furuya, S., 26 (1989) 271
Kaji, Y., see Furuya, S., 32 (1991) 321
Kajikawa, H., Odai, M., Saitoh, M., Takahashi, T., Tano, R., Abe, H. and Abe, A., Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
Kajikawa, H., Odai, M., Saitoh, M. and Abe, A., Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
Kali, J., see Brosh, A., 26 (1989) 287
Kappel, L.C., see Bunting, L.D., 45 (1994) 229
Karangwa, E., see Mahmoudzadeh, H., 27 (1989) 111
Karaso, Y., see Maltz, E., 35 (1991) 15
Karunajeewa, H., Tham, S.H. and Abu-Serewa, S., Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45
Káš, J., see Burianová, T., 33 (1991) 41
Kaustell, K., see Huhtanen, P., 48 (1994) 211
Kay, R.N.B., see Mayuchi, B., 38 (1992) 293
Kayouli, C., Jouany, J.P. and Ben Amor, J., Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
Kayouli, C., Jouany, J.P., Demeyer, D.I., Ali-Ali, Taoueb, H. and Dardillat, C., Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
Keene, A.S., see Mason, V.C., 26 (1989) 207
Keene, A.S., see Mason, V.C., 28 (1990) 169
Keene, A.S., see Mason, V.C., 29 (1990) 237
Keith, M.O., see Bell, J.M., 43 (1993) 1
Keith, M.O., see Bell, J.M., 44 (1993) 129
Keith, M.O., see Bell, J.M., 45 (1994) 177
Kellaway, R.C., see Li, X., 37 (1992) 221
Kellaway, R.C., see Optpatanakit, Y., 42 (1993) 25
Kemme, P.A., see Jongbloed, A.W., 28 (1990) 233
Kemp, B., see Van der Poel, A.F.B., 36 (1992) 205
Kenne, A.S., see Mason, V.C., 27 (1990) 293
Kennedy, D.W. and Bunting, L.D., Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Kershaw, S.J., see Rowan, T.G., 35 (1991) 247
Kese, A.G., see Donkoh, A., 30 (1990) 155
Khalifa, N.A., Elzubeir, E.A. and Mustafa, E.A., Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
Khalili, H. and Huhtanen, P., Sucrose supplements in cattle given grass silage-based diet. I.

Digestion of organic matter and nitrogen, 33 (1991) 247
Khalili, H. and Huhtanen, P., Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
Khalili, H., see Huhtanen, P., 33 (1991) 275
Khalili, H. and Varvikko, T., Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian × Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
Khalili, H., see Varvikko, T., 40 (1993) 239
Khalili, H., Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Khalili, H., Varvikko, T. and Osuji, P.O., Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Khalili, H., see Murphy, M., 41 (1993) 279
Khalili, H. and Osuji, P.O., The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
Khalili, H., see Osuji, P.O., 48 (1994) 153
Khan, M.F., Ali, A. and Muller, Z.O., Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135
Khan, M.J., see Khokrin, S.N., 35 (1991) 301
Khazaal, K. and Ørskov, E.R., The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpolypyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
Khazaal, K., Boza, J. and Ørskov, E.R., Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133
Khazaal, K.A., Own, E., Dodson, A.P., Palmer, J. and Harvey, P., Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15
Khokrin, S.N. and Khan, M.J., Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301
Khorchani, T., see Abdouli, H., 39 (1992) 293
Khorchani, T., Abdouli, H., Nefzaoui, A., Neffati, M. and Hamadi, M., Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303
Khush, G.S., see Bainton, S.J., 34 (1991) 261
Kiesling, H.E., see Malcolm, K.J., 40 (1993) 321
Kill, D.R. and Savage, T.F., Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
Kimambo, A.E., see Mgheni, D.M., 44 (1993) 209
Kimambo, A.E., see Mgheni, D.M., 49 (1994) 223
Kincaid, R.L., see Naseeven, M.R., 37 (1992) 111
King, R.H., Brown, W.G., Amenta, V.C.M., Shelley, B.C., Handson, P.D., Greenhill, N.B. and Willcock, G.P., The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1
Kinsella, J.E., see Rumsey, G.L., 33 (1991) 177
Kinsella, J.E., see Rumsey, G.L., 33 (1991) 185
Kipnis, T., see Meeske, R., 43 (1993) 165
Kirchgessner, M., see Kreuzer, M., 28 (1990) 135
Kirchgessner, M., see Roth-Maier, D.A., 42 (1993) 177
Kirchgessner, M., Kreuzer, M., Machmüller, A. and Roth- Maier, D.A., Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
Kirchheim, U., see Schöne, F., 48 (1994) 229
Kirchner, E., see Schöne, F., 30 (1990) 143
Kitcherside, M.A., see Waters, C.J., 39 (1992) 279
Kjos, N.P., The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13
Klasing, K.C., see Shqueir, A.A., 27 (1989) 127
Klopfenstein, T.J., see Fahmy, S.T.M., 38 (1992) 351
Klopfenstein, T.J., see Oliveros, B.A., 44 (1993) 59
Klopfenstein, T.J., see Fahmy, S.T.M., 45 (1994) 309
Klopfenstein, T.J., see Sindt, M.H., 49 (1994) 103
Kmet, V., see Zeleňák, I., 49 (1994) 211
Knaus, W., Wetscherek, W. and Lettner, F., Use of soy protein concentrate in combination with

potato protein in milk replacers for veal calves, 48 (1994) 111
Kobayashi, Y., see Cann, I.K.O., 35 (1991) 55
Kobayashi, Y., Wakita, N. and Hoshino, S., Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
Kobayashi, Y., Wakita, M. and Hoshino, S., Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
Koefoed, N., Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
Kondo, T., Ohshita, T. and Kyuma, T., Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
Kondo, T., Ohshita, T. and Kyuma, T., Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
Kondo, T., Ohshita, T. and Kyuma, T., Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
Kopečný, J., see Burianová, T., 33 (1991) 41
Kornegay, E.T., see Risley, C.R., 35 (1991) 259
Korol, W., see Matyka, S., 31 (1990) 223
Koshroff, S., see Focant, M., 32 (1991) 229
Kosmala, I., see Antoniewicz, A.M., 39 (1992) 111
Kotarbinska, M., see Löwgren, W., 39 (1992) 183
Koumas, A., see Economides, S., 26 (1989) 93
Koumas, A., see Economides, S., 31 (1990) 105
Kozlowski, F., see Champ, M., 32 (1991) 177
Kratzer, F.H., Bersch, S., Vohra, P. and Ernst, R.A., Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247
Kratzer, F.H., Vohra, P., Ekperigin, H.E. and Ritchie, W.L., Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67
Kreulen, D.A., see Prins, R.A., 32 (1991) 101
Kreuzer, M. and Kirchgessner, M., Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
Kreuzer, M., see Roth-Maier, D.A., 42 (1993) 177
Kreuzer, M., see Kirchgessner, M., 46 (1994) 293
Kridis, M.S., see Barber, G.D., 28 (1990) 115
Krishna, N., see Veereswara Rao, B., 44 (1993) 265
Krogh Jensen, S., see Danielsen, V., 46 (1994) 239
Krouti, M., see Quinsac, A., 48 (1994) 265
Krysl, L.J., see Broesder, J.T., 37 (1992) 323
Krzeminski, R., see Doreau, M., 44 (1993) 181
Ku-Vera, J.K., MacLeod, N.A. and Ørskov, E.R., Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
Kudo, H., Cheng, K.-J., Imai, S., Han, S.S. and Costerton, J.W., Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159
Kuehl, R.O., see Glenn, E.P., 40 (1992) 21
Kumar, R. and Vaithiyanathan, S., Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21
Kumar, R., see Vaithiyanathan, S., 44 (1993) 281
Kumwenda, M.S.L., see Dzowela, B.H., 28 (1990) 255
Kung Jr., L., Tung, R.S. and Maciorowski, K., Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Kung Jr., L., Tung, R.S. and Carmean, B.R., Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
Kyuma, T., see Kondo, T., 39 (1992) 253
Kyuma, T., see Kondo, T., 41 (1993) 213
Kyuma, T., see Kondo, T., 47 (1994) 277

L

Lacassagne, L., Melcion, J.P., De Monredon, F. and Carré, B., The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
Lachica, M., see Prieto, C., 47 (1994) 151
Lallès, J.P., Delval, E. and Poncet, C., Mean retention time of dietary residues within the

gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
Lallès, J.P., see Toullec, R., 50 (1994) 101
Lamed, R., see Miron, J., 30 (1990) 107
Landis, K.M., see Hall, K.L., 30 (1990) 275
Langlands, J.P., Donald, G.E., Bowles, J.E. and Smith, A.J., Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
Langlands, J.P., Bowles, J.E., Donald, G.E. and Smith, A.J., Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
Langlands, J.P., see Donald, G.E., 40 (1993) 295
Langlands, J.P., Donald, G.E., Bowles, J.E. and Smith, A.J., Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
Lapanouse, A., see Gidenne, T., 32 (1991) 215
Laplace, J.P., see Darcy-Vrillon, B., 27 (1990) 307
Laplace, J.P., see Fuller, M.F., 48 (1994) 305
Larbier, M., see Zuprizal, 34 (1991) 255
Larbier, M., see Zuprizal, 35 (1991) 237
Larbier, M., see Barrier-Guillot, B., 41 (1993) 149
Lassalas, B., see Broudiscou, L., 33 (1991) 161
Latshaw, J.D., see Scott, K.C., 47 (1994) 99
Latshaw, J.D., Musharaf, N. and Retrum, R., Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179
Lawrence, T.L.J., see Potkins, Z.V., 35 (1991) 171
Lawrence, T.L.J., see Rowan, T.G., 35 (1991) 247
Lawrence, T.L.J., see Subuh, A.M.H., 49 (1994) 297
Leal, M., Shimada, A. and Hernández, E., The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141
Lean, I.J., see Optpatanakit, Y., 42 (1993) 25
Leaver, J.D., see Castejon, M., 46 (1993) 119
Lebzien, P., see Carro, M.D., 37 (1992) 209
Lecannu, G., see Champ, M., 32 (1991) 177
Lechner-Doll, M., see Rutagwenda, T., 31 (1990) 179
LeFeuvre, R.P., see Jones, R.J., 37 (1992) 297
Lehmann, J.W., see Pond, W.G., 33 (1991) 221
Leibholz, J., A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
Leibholz, J., see Punia, B.S., 47 (1994) 77
Lekule, F.P., Jørgenson, H., Fernández, J.A. and Just, A., Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
Leng, R.A., see Bird, S.H., 45 (1994) 119
Lenssen, A.W., Sorensen, E.L., Posler, G.L. and Stuteville, D.L., Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61
Leon, A.M., Caffin, M.-P., Plassart, M. and Picard, M.L., Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
León, L., see Caro, M.R., 31 (1990) 285
Leroux, G.D., see Martineau, Y., 47 (1994) 53
Leske, K.L., Jevne, C.J. and Coon, C.N., Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73
Lessire, M., see Zuprizal, 34 (1991) 255
Lessire, M., see Zuprizal, 35 (1991) 237
Lessire, M., see Quinsac, A., 48 (1994) 265
Leterme, P., Beckers, Y. and Théwis, A., Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
Leterme, P., Tahon, F. and Théwis, A., Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49
Leterme, P., Monmart, T. and Théwis, A., Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309
Leterme, P., Théwis, A. and Culot, M., Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
Lettner, F., see Zollitsch, W., 41 (1993) 237
Lettner, F., see Knaus, W., 48 (1994) 111
Leuillet, M., see Barrier-Guillot, B., 41 (1993) 149
Levy, D., see Brosh, A., 26 (1989) 287
Levy, D., see Silanikove, N., 31 (1990) 117
Levy, D., see Brosh, A., 40 (1993) 165
Lewis, A.J., see Giesemann, M.A., 37 (1992) 233
Lewis, B., see Pond, W.G., 33 (1991) 221
Lewis, L.D., see Remillard, R.L., 30 (1990) 79
Li, T.-J., see Yin, Y.-L., 44 (1993) 1
Li, X., Kellaway, R.C., Ison, R.L. and Annison, G., Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Lian, Y.T., see Zhu, X.S., 27 (1990) 341
Liang, J.B., Matsumoto, M. and Young, B.A., Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
Lindberg, H., see Jonsson, A., 31 (1990) 139
Lindberg, J.-E., see Emanuelson, M., 34 (1991) 291
Lindberg, J.E., Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213
Lindberg, P., see Hassan, S., 41 (1993) 103
Lindemann, M.D., see Risley, C.R., 35 (1991) 259
Lindgren, S., see Jonsson, A., 31 (1990) 139
Lingvall, P., see Jonsson, A., 31 (1990) 139
Littell, R.C., see Van Ravenswaay, R.O., 39 (1992) 13
Liu, M.-L., see Liu, Y.-G., 45 (1994) 257
Liu, Y.-G., Steg, A. and Hindle, V.A., Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133
Liu, Y.-G., Zhou, M.-Q. and Liu, M.-L., A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257
Liu, Y.-G., Steg, A. and Hindle, V.A., Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
Liu, Y.-G., Steg, A., Smits, B. and Tamminga, S., Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273
Liu, Y.-G., see Steg, A., 50 (1994) 87
Loerch, S.C., see Oke, B.O., 34 (1991) 163
Lohan, O.P., see Dharmender, 44 (1993) 169
Lomax, J.A., see Mulder, M.M., 32 (1991) 185
Lomax, J.A., see Wallace, G., 32 (1991) 193
Longe, O.G., see Sobamiwa, O., 46 (1994) 321
Longe, O.G., see Sobamiwa, O., 47 (1994) 237
Longstaff, M., McBain, B. and McNab, J.M., The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
Longstaff, M.A., see Yutste, P., 35 (1991) 289
Löwgren, W., Graham, H., Åman, P., Raj, S. and Kotarbinska, M., Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183
Löwgren, W., Graham, H. and Åman, P., In vivo apparent digestibility and in vitro solubilization — the influence of pig live weight and diet, 40 (1993) 223
Lowry, J.B., see Tangendjaja, B., 29 (1990) 63
Ludemann, H.D., see Yosef, E., 46 (1994) 331
Lüdke, H., see Schöne, F., 30 (1990) 143
Luginbuhl, J.-M., see Guessous, F., 35 (1991) 95
Luo, L. and Huang, J., Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21
Lyon, C.E., see Ohlde, G.W., 36 (1992) 173
Lyon, C.E., see Akin, D.E., 43 (1993) 303
Lyon, D.E., see Akin, D.E., 31 (1990) 205
Lyons, R.K. and Stuth, J.W., Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21

M

Maassen, A., see Deinum, B., 46 (1994) 75
Machin, D.H., Panigrahi, S., Bainton, J. and Morris, T.R., Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
Machin, D.H., see Thorne, P.J., 40 (1992) 31
Machmüller, A., see Roth-Maier, D.A., 42 (1993) 177
Machmüller, A., see Kirchgessner, M., 46 (1994) 293
Maciorowski, K., see Kung Jr., L., 35 (1991) 37
Macleod, G.K., see Colucci, P.E., 37 (1992) 73
MacLeod, J.A., see Donovan, B.C., 33 (1991) 87
MacLeod, J.A., see Murphy, S.R., 40 (1993) 273
MacLeod, J.A., see Donovan, B.C., 43 (1993) 77
MacLeod, N.A., see Ku-Vera, J.K., 28 (1990) 109
MacRae, I.C., see Tjandraatmadja, M., 41 (1993) 171
Mader, T.L., Poppert, G.L. and Stock, R.A., Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
Mader, T.L., Poppert, G.L. and Stock, R.A., Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
Madison, J.B., see Pott, E.B., 45 (1994) 193
Madsen, J., see Mgheni, D.M., 44 (1993) 209
Madsen, J., see Mgheni, D.M., 49 (1994) 223
Magnie, E., see Salas, M., 39 (1992) 265

Mahmoudzadeh, H., Karangwa, E., Mitchell Jr., G.E., Muntifering, R.B. and Tucker, R.E., Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111
Majcherczyk, A., see Yosef, E., 46 (1994) 331
Majcherczyk, A., see Ben-Ghedalia, D., 47 (1994) 89
Makkar, G.S., see Wadhwa, M., 40 (1993) 285
Makkar, G.S., see Sehgal, J.P., 45 (1994) 149
Makkar, G.S., see Sehgal, J.P., 47 (1994) 61
Makkar, H.P.S., see Negi, S.S., 26 (1989) 309
Makkar, H.P.S. and Singh, B., Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
Makkar, H.P.S. and Singh, B., Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113
Makkar, H.P.S. and Singh, B., Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana)* leaves, 41 (1993) 247
Makoni, N.F., Von Keyserlingk, M.A.G., Shelford, J.A., Fisher, I.J. and Puchala, R., Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1
Malcolm, K.J. and Kiesling, H.E., Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
Males, J.R., see Morgan, E.K., 33 (1991) 59
Mali, P.C., see Pancholy, R., 38 (1992) 75
Malmlöf, K., Askbrant, S. and Björkgren, S., A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
Malossini, F., Bovolenta, S., Piasentier, E. and Valentinotti, M., Variability of *n*-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113
Maltz, E., Silanikove, N., Karaso, Y., Shefet, G., Meltzer, A. and Barak, M., A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15
Manyuchi, B., Mikayiri, S. and Smith, T., Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
Marley, S.J., see Russel, J.R., 29 (1990) 131
Marquardt, R.R., see Castanon, J.I.R., 26 (1989) 71
Marquardt, R.R., see Garrido, A., 35 (1991) 205
Marquardt, R.R., Boros, D., Guenter, W. and Crow, G., The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Martineau, Y., Leroux, G.D. and Seoane, J.R., Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53
Martínez-Teruel, A., see Megías, M.D., 43 (1993) 269
Masoero, F., Fiorentini, L., Rossi. F. and Piva, A., Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253
Mason, V.C., Cook, J.E., Dhanoa, M.S., Keene, A.S. and Hartley, R.D., Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
Mason, V.C., Dhanoa, M.S., Hartley, R.D. and Kenne, A.S., Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
Mason, V.C., Cook, J.E., Keene, A.S. and Hartley, R.D., The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169
Mason, V.C., Cook, J.E., Dhanoa, M.S., Keene, A.S., Hoadley, C.J. and Hartley, R.D., Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
Mason, V.C., see Van Soest, P.J., 32 (1991) 45
Matatu, B., see Chermiti, A., 47 (1994) 41
Mathison, G.W., see Engstrom, D.F., 37 (1992) 33
Mathot, P., Debevere, C., Walhain, P., Baudart, E., Théwis, A. and Brakel, J., Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227
Matsumoto, M., see Liang, J.B., 47 (1994) 189
Matsuoka, J., see Goto, M., 48 (1994) 27
Matyka, S., Korol, W. and Bogusz, G., The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223
Maupetit, P., see Aufrère, J., 36 (1992) 187
Mayaka, B.T., see Teguia, A., 40 (1993) 233
Mayuchi, B., Ørskov, E.R. and Kay, R.N.B., Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293

Mbugua, P.N., see Nambi, J., 37 (1992) 99
Mbwile, R.P. and Udén, P., Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243
McAllan, A.B., see Merry, R.J., 31 (1990) 55
McAllan, A.B., Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
McAllan, A.B., Sutton, J.D., Beever, D.E. and Napper, D.J., Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
McAllan, A.B., see Theodorou, M.K., 48 (1994) 185
McAllister, T.A., Rode, L.M., Cheng, K.-J., Schaefer, D.M. and Costerton, J.W., Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
McBain, B., see Longstaff, M., 34 (1991) 147
McCarthy, F.D., Norton, S.A. and McClure, W.H., Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
McClure, W.H., see McCarthy, F.D., 28 (1990) 29
McCorquodale, C., see Yutste, P., 35 (1991) 289
McDougall, N.R. and Beames, R.M., Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139
McMeniman, N.P., Elliott, R. and O'Sullivan, M., The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
McNab, J.M., see Longstaff, M., 34 (1991) 147
McNab, J.M., see Yutste, P., 35 (1991) 289
McNab, J.M., see Ventura, M.R., 49 (1994) 87
McNab, J.M., see Flores, M.P., 49 (1994) 237
McNiven, M.A., see Donovan, B.C., 33 (1991) 87
McNiven, M.A., see Murphy, S.R., 40 (1993) 273
McNiven, M.A., see Donovan, B.C., 43 (1993) 77
McNiven, M.A., see Robinson, P.H., 43 (1993) 275
McNiven, M.A., see Murphy, S.R., 46 (1994) 23
McNiven, M.A., Hamilton, R.M.G., Robinson, P.H. and deLeeuw, J.W., Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
Meeske, R., Meissner, H.H. and Pienaar, J.P., The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121
Meeske, R., Ashbell, G., Weinberg, Z.G. and Kipnis, T., Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165
Megias, D., see Caro, M.R., 31 (1990) 285
Megías, M.D., Martínez-Teruel, A., Gallego, J.A. and Núñez, J.M., Chemical changes during the ensiling of orange peel, 43 (1993) 269
Mehra, U.R., see Singh, U.B., 28 (1990) 129
Mehra, U.R., see Tiwari, S.P., 29 (1990) 333
Meijer, M.M.T., Ogink, J.J.M. and Van Gelder, W.M.J., Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1
Meijs, S., see Tamminga, S., 27 (1989) 49
Meissner, H.H., see Meeske, R., 40 (1992) 121
Melcion, J.-P., Michelangeli, C. and Picard, M., Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
Melcion, J.P., see Lacassagne, L., 34 (1991) 11
Meltzer, A., see Maltz, E., 35 (1991) 15
Mendoza M., G.D., see Plata P., F., 49 (1994) 203
Mero, R.N. and Udén, P., Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
Merritt, A.M., see Pott, E.B., 45 (1994) 193
Merry, R.J., McAllan, A.B. and Smith, R.H., In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
Mertens, D.R., see Cherney, D.J.R., 31 (1990) 65
Messman, M.A. and Weiss, W.P., Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
Metayer, J.P., Grosjean, F. and Castaing, J., Study of variability in French cereals, 43 (1993) 87
Meurens, M., see Focant, M., 32 (1991) 229
Mgheni, D.M., Kimambo, A.E., Sundstøl, F. and Madsen, J., Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
Mgheni, D.M., Kimambo, A.E., Sundstøl, F. and Madsen, J., The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
Mian, A.J., see Shahjahan, M., 42 (1993) 121
Michaelidis, J., see Stanogias, G., 47 (1994) 287
Michalet-Doreau, B., see Aufrère, J., 33 (1991) 97

Michalet-Doreau, B. and Cerneau, P., Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
Michalet-Doreau, B. and Ould-Bah, M.Y., In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
Michelangeli, C., see Melcion, J.-P., 46 (1994) 197
Mikayiri, S., see Manyuchi, B., 49 (1994) 11
Miles, R.D., see Pott, E.B., 45 (1994) 193
Miller, E.L., see Chaudhry, A.S., 50 (1994) 1
Miller, T.K., see Webster, P.M., 30 (1990) 11
Mills, C.R., see Stefanon, B., 37 (1992) 143
Mills, C.R., see Susmel, P., 42 (1993) 1
Mills, C.R., see Susmel, P., 49 (1994) 119
Mills, P.A., see Wittenberg, K.M., 27 (1989) 101
Milstein, O., see Yosef, E., 46 (1994) 331
Milstein, O., see Ben-Ghedalia, D., 47 (1994) 89
Miñón, D.P., see Brizuela, M.A., 30 (1990) 321
Mir, P.S., Mir, Z. and Hall, J.W., Physical characteristics of feeds and their relation to nutrient components and dry matter disappearance in sacco, 31 (1990) 17
Mir, P.S., Mir, Z. and Hall, J.W., Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Mir, Z., see Mir, P.S., 31 (1990) 17
Mir, Z., see Mir, P.S., 32 (1991) 287
Miron, J. and Yokoyama, M.T., Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
Miron, J., Ben-Ghedalia, D., Yokoyama, M.T. and Lamed, R., Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
Miron, J., see Solomon, R., 37 (1992) 185
Miron, J., see Ben-Ghedalia, D., 41 (1993) 113
Miron, J., see Ben-Ghedalia, D., 42 (1993) 283
Miron, J., see Yosef, E., 46 (1994) 331
Miron, J., see Ben-Ghedalia, D., 47 (1994) 89
Mirosh, L.W., see Hayat, J., 43 (1993) 291
Mirosh, L.W., see Ivusic, S.I., 45 (1994) 205
Misawa, Y., see Nakashima, Y., 35 (1991) 309
Mitaru, B.N., see Nambi, J., 37 (1992) 99
Mitchell Jr., E.D., see Streeter, M.N., 29 (1990) 279
Mitchell Jr., G.E., see Mahmoudzadeh, H., 27 (1989) 111
Mohammed, O.A., see Elzubeir, E.A., 41 (1993) 161
Moisio, T. and Heikonen, M., Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107
Molina, E., see Aguilera, J.F., 36 (1992) 101
Moloney, A.P., Wilson, R.K. and Moloney, B.C., Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
Moloney, A.P., Almiladi, A.A., Drennan, M.J. and Caffrey, P.J., Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37
Moloney, A.P. and Drennan, M.J., The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
Moloney, B.C., see Moloney, A.P., 46 (1994) 215
Monmart, T., see Leterme, P., 37 (1992) 309
Monsi, A. and Onitchi, D.O., Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141
Monties, B., Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159
Moore, J.E., see Cherney, D.J.R., 31 (1990) 65
Moore, K.J., see Jaster, E.H., 31 (1990) 261
Moore, K.J., see Jaster, E.H., 38 (1992) 175
Moran Jr., E.T., see Revington, W.H., 29 (1990) 321
Morgan, E.K., Gibson, M.L., Nelson, M.L. and Males, J.R., Utilization of whole or steam-rolled barley fed with forages to wethers and cattle, 33 (1991) 59
Morita, O., see Goto, M., 36 (1992) 229
Morita, O., see Goto, M., 40 (1993) 207
Morita, O., see Goto, M., 48 (1994) 27
Morris, T.R., see Machin, D.H., 28 (1990) 199
Morrison III, W.H., Scheijen, M.A. and Boon, J.J., Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
Mosenthin, R., see Sauer, W.C., 31 (1990) 269
Mosenthin, R., Sauer, W.C., Ahrens, F., De Lange, C.F.M. and Bornholdt, U., Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
Moshtaghi-Nia, S.A., see Wittenberg, K.M., 27

(1989) 101
Moshtaghi-Nia, S.A., see Wittenberg, K.M., 28 (1990) 333
Moshtaghi-Nia, S.A., see Wittenberg, K.M., 34 (1991) 67
Mosihuzzaman, M., see Shahjahan, M., 42 (1993) 121
Moss, A.R., Givens, D.I. and Everington, J.M., The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Moss, A.R. and Givens, D.I., Chemical composition and in vitro digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125
Moss, A.R., see Givens, D.I., 35 (1991) 83
Moss, A.R., see Givens, D.I., 36 (1992) 215
Moss, A.R., see Givens, D.I., 37 (1992) 281
Moss, A.R., see Givens, D.I., 38 (1992) 281
Moss, A.R., Givens, D.I. and Phipps, R.H., Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151
Moss, A.R., Givens, D.I. and Furniss, S., A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
Moss, A.R., see Givens, D.I., 41 (1993) 297
Moss, A.R., see Givens, D.I., 42 (1993) 97
Moss, A.R., see Givens, D.I., 43 (1993) 51
Moss, A.R., see Givens, D.I., 46 (1994) 155
Moss, A.R. and Givens, D.I., The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
Moss, A.R., Givens, D.I. and Garnsworthy, P.C., The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
Moss, A.R., see Deaville, E.R., 49 (1994) 261
Moughan, P.J., Smith, W.C., Pearson, G. and James, K.A.C., Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
Moughan, P.J., see Skilton, G.A., 34 (1991) 111
Moughan, P.J., see Rowan, A.M., 36 (1992) 129
Moughan, P.J., see Hendriks, W.H., 48 (1994) 99
Moughan, P.J., see Donkoh, A., 49 (1994) 43
Moughan, P.J., see Donkoh, A., 49 (1994) 57
Moughan, P.J., see Donkoh, A., 49 (1994) 73
Mpofu, I.D.T. and Ndlovu, L.R., The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
Msiska, H.D.C., see Dzowela, B.H., 28 (1990) 255
Muhammed, S.A., see Cruz Soto, R., 49 (1994) 151
Mulder, M.M., Hotten, P.M., Cowie, E., Lomax, J.A. and Chesson, A., Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185
Mulder, M.M., Engels, F.M., Schuurmans, J.L.L. and Boon, J.J., In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335
Muller, Z.O., see Khan, M.F., 38 (1992) 135
Muntifering, R.B., see Mahmoudzadeh, H., 27 (1989) 111
Muñoz, F., see Joy, M., 38 (1992) 319
Murakami, H., see Akiba, Y., 43 (1993) 259
Murphy, M., see Emanuelson, M., 34 (1991) 291
Murphy, M., Khalili, H. and Huhtanen, P., The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
Murphy, S.R., McNiven, M.A., MacLeod, J.A. and Halliday, L.J., Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
Murphy, S.R. and McNiven, M.A., Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
Murray, I., see Barber, G.D., 28 (1990) 115
Murray, I., see Garrido, A., 39 (1992) 313
Murray, I., see Coleman, S.W., 44 (1993) 237
Musharaf, N., see Latshaw, J.D., 47 (1994) 179
Musharaf, N.A., Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129
Mustafa, E.A., see El Zubeir, E.A., 36 (1992) 339
Mustafa, E.A., see Khalifa, N.A., 48 (1994) 165
Myer, R.O., Johnson, D.D., Otwell, W.S., Walker, W.R. and Combs, G.E., Evaluation of scallop viscera silage as a high-protein feedstuff for growing–finishing swine, 31 (1990) 43

N

Najar, T., see Giger-Reverdin, S., 32 (1991) 223
Nakashima, Y., Adebowale, E.A. and Misawa, Y., Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309

Nakashima, Y., see Adebowale, E.A., 38 (1992) 219
Nakaue, H.S., see Ivusic, S.I., 45 (1994) 205
Nambi, J., Mbugua, P.N. and Mitaru, B.N., The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99
Nandra, K.S., Hendry, A. and Dobos, R.C., A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Napper, D.J., see McAllan, A.B., 46 (1994) 277
Narahari, D., see Arumugam, M.P., 26 (1989) 119
Naseeven, M.R. and Kincaid, R.L., Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
Nastis, A.S., see Papachristou, Th.G., 46 (1994) 87
Natanam, R., Kadirvel, R. and Viswanathan, K., The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
Natanam, R., Kadirvel, R. and Ravi, R., The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95
Navaratne, H.V.R.G., Ibrahim, M.N.M. and Schiere, J.B., Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209
Ndlovu, L.R., see Mpofu, I.D.T., 48 (1994) 39
Neffati, M., see Khorchani, T., 39 (1992) 303
Nefzaoui, A., see Abdouli, H., 39 (1992) 293
Nefzaoui, A., see Khorchani, T., 39 (1992) 303
Nefzaoui, A., see Ben Salem, H., 46 (1994) 143
Nefzaoui, A., see Ben Salem, H., 48 (1994) 15
Negi, S.S., Singh, B. and Makkar, H.P.S., Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
Neill, J.W., see White, J.S., 33 (1991) 313
Nell, A.J., see Schiere, J.B., 43 (1993) 135
Nelson, M.L., see Morgan, E.K., 33 (1991) 59
Nelssen, J.L., see Weeden, T.L., 45 (1994) 211
Nengomasha, E.M., see Gomes, M.J., 49 (1994) 277
Nerud, F., see Jalč, D., 46 (1994) 131
Neutze, S.A., Smith, R.L. and Forbes, W.A., Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251
Newbold, C.J., Chamberlain, D.G. and Thomas, P.C., Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
Newbold, C.J., see Hidayat, 42 (1993) 193
Newbold, C.J., see Cruz Soto, R., 49 (1994) 151
Newman, C.W., see Pond, W.G., 33 (1991) 221
Nicol, A.M., see Young, B.A., 29 (1990) 147
Nieto, R., see Prieto, C., 47 (1994) 151
Nishino, N., Ohshima, M. and Uchida, S., A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
Nishino, N., Uchida, S. and Ohshima, M., Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
Nisikawa, S., see Goto, M., 40 (1993) 207
Noblet, J., see Chabeauti, E., 32 (1991) 207
Noblet, J., Fortune, H., Dupire, C. and Dubois, S., Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
Noblet, J., see Shi, X.S., 42 (1993) 223
Nobre, P.T.C., see Sazzad, H.M., 46 (1994) 271
Nockels, C.F., see Remillard, R.L., 30 (1990) 79
Nogareda, C., see Brufau, J., 34 (1991) 193
Norton, B.W., see Tjandraatmadja, M., 41 (1993) 171
Norton, S.A., see McCarthy, F.D., 28 (1990) 29
Núñez, J.M., see Megías, M.D., 43 (1993) 269

O

O'Connor, C.B., see Capper, B.S., 36 (1992) 59
O'Leary, J., see Henning, J.C., 31 (1990) 193
O'Sullivan, M., see McMeniman, N.P., 28 (1990) 155
Obaji, C.N., see Udedibie, A.B.I., 48 (1994) 335
Odai, M., see Kajikawa, H., 31 (1990) 91
Odai, M., see Kajikawa, H., 34 (1991) 203
Offer, N.W., see Barber, G.D., 28 (1990) 115
Ogink, J.J.M., see Meijer, M.M.T., 46 (1994) 1
Ogunlana, F.F., see Fajimi, A.O., 43 (1993) 177
Ohlde, G.W., Becker, K., Akin, D.E., Rigsby, L.L. and Lyon, C.E., Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion

on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
Ohshima, M., see Nishino, N., 47 (1994) 297
Ohshima, M., see Nishino, N., 48 (1994) 131
Ohshita, T., see Kondo, T., 39 (1992) 253
Ohshita, T., see Kondo, T., 41 (1993) 213
Ohshita, T., see Kondo, T., 47 (1994) 277
Oke, B.O. and Loerch, S.C., Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
Okemo, R.C., see Ingalls, J.R., 47 (1994) 321
Olawuni, K.A., Ubosi, C.O. and Alaku, S.O., Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano–Sahelian environment, 38 (1992) 1
Oldham, J.D., Recent progress towards matching feed quality to the amino acid needs of ruminants, 45 (1993) 19
Oliveros, B.A., Britton, R.A. and Klopfenstein, T.J., Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
Olorunju, S.A.S., see Balogun, T.F., 30 (1990) 193
Oltjen, J.W., see Streeter, M.N., 29 (1990) 279
Olubobokun, J.A., see Beaulieu, A.D., 30 (1990) 289
Omodara, O.A., see Aletor, V.A., 46 (1994) 343
Onitchi, D.O., see Monsi, A., 34 (1991) 141
Oosting, S.J. and Waanders, A., The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
Opoku, R.S., see Osei, S.A., 29 (1990) 303
Optpatanakit, Y., Kellaway, R.C. and Lean, I.J., Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
Ørskov, E.R., see Ku-Vera, J.K., 28 (1990) 109
Ørskov, E.R., see Mayuchi, B., 38 (1992) 293
Ørskov, E.R., see Blümmel, M., 40 (1993) 109
Ørskov, E.R., see Castro, F.B., 42 (1993) 39
Ørskov, E.R., see Castro, F.B., 42 (1993) 55
Ørskov, E.R., see Khazaal, K., 47 (1994) 305
Ørskov, E.R., see Khazaal, K., 49 (1994) 133
Ortiz, L., see Treviño, J., 37 (1992) 345
Ortiz, L.T., Centeno, C. and Treviño, J., Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
Ortiz, V., see Castanon, J.I.R., 31 (1990) 349
Osei, S.A., Asiamah, M. and Atuahene, C.C., Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295
Osei, S.A., Opoku, R.S. and Atuahene, C.C., Gliricidia leaf meal as an ingredient in layer diets, 29 (1990) 303
Osei, S.A., Atuahene, C.C., Heathcote, D., Frimpong, E.B. and Adomako, D., Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
Osei, S.A. and Armoo, D., The nutritive value of bauhinia leaf meal for broiler starter chicks, 37 (1992) 317
Osuji, P.O., see Khalili, H., 41 (1993) 39
Osuji, P.O., see Khalili, H., 47 (1994) 213
Osuji, P.O. and Khalili, H., The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Otwell, W.S., see Myer, R.O., 31 (1990) 43
Ould-Bah, M.Y., see Michalet-Doreau, B., 40 (1992) 57
Owen, B.D., see Crowley, M.L., 47 (1994) 245
Owen, E., see Zaman, M.S., 45 (1994) 271
Owens, F.N., see Streeter, M.N., 44 (1993) 45
Own, E., see Khazaal, K.A., 41 (1993) 15
Oyejide, A., see Fajimi, A.O., 43 (1993) 177

P

Pallauf, J. and Hüter, J., Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
Palmer, J., see Khazaal, K.A., 41 (1993) 15
Pan, Y.-F., see Yin, Y.-L., 44 (1993) 1
Pancholy, R. and Mali, P.C., Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
Panday, S.B., see Doyle, P.T., 29 (1990) 29
Panigrahi, S., see Machin, D.H., 28 (1990) 199
Panigrahi, S. and Powell, C.J., Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37
Panigrahi, S., Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89
Papachristou, Th.G. and Nastis, A.S., Changes in

chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87
Papas, A.M., see Deetz, L.E., 31 (1990) 293
Pappa-Michaelidis, B., see Stanogias, G., 47 (1994) 287
Parthasarathy, M., see Veereswara Rao, B., 44 (1993) 265
Pasinato, A.M., see Elizalde, J.C., 47 (1994) 201
Patil, A.R., Goetsch, A.L., Galloway Sr., D.L. and Forster Jr., L.A., Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
Patil, A.R., see Forster Jr., L.A., 47 (1994) 259
Patterson, D.C., A comparison of various feeding systems for finishing pigs, 26 (1989) 251
Patterson, D.C., A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261
Patterson, D.C., A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29
Patterson, D.C. and Chestnutt, D.M.B., The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
Patterson, J.A., see Cherney, D.J.R., 39 (1992) 79
Pearce, G.R., see Wales, W.J., 29 (1990) 1
Pearce, G.R., see Stanogias, G., 47 (1994) 287
Pearson, G., see Moughan, P.J., 34 (1991) 95
Peo Jr., E.R., see Giesemann, M.A., 37 (1992) 233
Peralta, J., see Combellas, J., 42 (1993) 319
Perez, C.M., see Bainton, S.J., 34 (1991) 261
Perez, J.M., see Gidenne, T., 42 (1993) 237
Perez, J.M., see Gidenne, T., 42 (1993) 249
Perez, L., see Prieto, C., 47 (1994) 151
Perez-Lanzac, J., see Castanon, J.I.R., 31 (1990) 349
Pérez-Vendrell, A., see Brufau, J., 34 (1991) 193
Pettersson, D., see Åman, P., 29 (1990) 223
Pettersson, D., Graham, H. and Åman, P., The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
Peyker, W., see Flachowsky, G., 43 (1993) 41
Pfaff, L., see Esmail, S.H.M., 33 (1991) 79
Pfeffer, E., see Düngelhoef, M., 49 (1994) 1
Pfirter, H.P., see Vukić Vranješ, M., 46 (1994) 261
Phillip, L.E., Simpson, M.V. and Garino, H., Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Phipps, R.H., see Moss, A.R., 39 (1992) 151
Piasentier, E., see Susmel, P., 26 (1989) 231
Piasentier, E., see Stefanon, B., 37 (1992) 143
Piasentier, E., see Malossini, F., 50 (1994) 113
Picard, M., see Melcion, J.-P., 46 (1994) 197
Picard, M., see Fuller, M.F., 48 (1994) 305
Picard, M.L., see Leon, A.M., 32 (1991) 297
Piccaglia, R., see Zadražil, F., 32 (1991) 137
Pienaar, J.P., see Meeske, R., 40 (1992) 121
Pierce, A.B., see Sauer, W.C., 31 (1990) 269
Pike, D.J., see Zaman, M.S., 45 (1994) 271
Pilnik, W., see Renard, C.M.G.C., 32 (1991) 69
Pióor, H., see Puchala, R., 48 (1994) 121
Pisulewska, E., Hanczakowski, P. and Pisulewski, P., Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
Pisulewski, P., see Pisulewska, E., 27 (1989) 117
Piva, A., see Masoero, F., 48 (1994) 253
Pizarro, M., see Viveros, A., 48 (1994) 237
Plassart, M., see Leon, A.M., 32 (1991) 297
Plata P., F., Mendoza M., G.D., Bárcena-Gama, J.R. and González M., S., Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
Platford, R.G., see Wittenberg, K.M., 27 (1989) 101
Playne, M.J., see Jones, R.J., 37 (1992) 297
Plumb, V.E., see Bainton, S.J., 34 (1991) 261
Pochet, S., see Broudiscou, L., 49 (1994) 189
Poncet, C., see Lallès, J.P., 35 (1991) 139
Poncet, C., see Broudiscou, L., 49 (1994) 189
Pond, K.R., see Guessous, F., 35 (1991) 95
Pond, W.G., see Babatunde, G.M., 31 (1990) 313
Pond, W.G., Lehmann, J.W., Elmore, R., Husby, F., Calvert, C.C., Newman, C.W., Lewis, B., Harrold, R.L. and Froseth, J., Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221
Poppert, G.L., see Mader, T.L., 42 (1993) 109
Poppert, G.L., see Mader, T.L., 42 (1993) 309
Poppi, D.P., see Borens, F.M.P., 28 (1990) 275
Porter, M.G., Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201
Posler, G., see White, J.S., 33 (1991) 313
Posler, G.L., see Lenssen, A.W., 39 (1992) 61
Potkins, Z.V., Lawrence, T.L.J. and Thomlinson, J.R., Effects on ileal apparent digestibility

in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
Pott, E.B., Henry, P.R., Ammerman, C.B., Merritt, A.M., Madison, J.B. and Miles, R.D., Relative bioavailability of copper in a copper–lysine complex for chicks and lambs, 45 (1994) 193
Powell, C.J., see Panigrahi, S., 34 (1991) 37
Prabhu, U.H., see Subba Rao, A., 49 (1994) 37
Prieto, C., Aguilera, J.F., Lachica, M., Fernandez-Figares, I., Perez, L., Nieto, R. and Ferrando, G., The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151
Prins, R.A. and Kreulen, D.A., Comparative aspects of plant cell wall digestion in insects, 32 (1991) 101
Prior, P., see Hassoun, P., 29 (1990) 113
Priore, F., see Combellas, J., 42 (1993) 319
Puchala, R., see Makoni, N.F., 41 (1993) 1
Puchala, R., Piór, H., Von Keyserlingk, M., Shelford, J.A. and Barej, W., Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
Puls, J., see Südekum, K.-H., 38 (1992) 143
Puls, J., see Südekum, K.-H., 46 (1994) 307
Punia, B.S. and Leibholz, J., Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
Pusztai, A., see Rubio, L.A., 49 (1994) 93

Q

Quinsac, A., Lessire, M., Krouti, M., Ribaillier, D., Coïc, J.P., Fauduet, H. and Rollin, P., Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

R

Radloff, H.D., see Judkins, M.B., 33 (1991) 323
Rahardjo, Y.C., see Tangendjaja, B., 29 (1990) 63
Rahman, H., see Rubio, L.A., 49 (1994) 93
Rai, S.N., Walli, T.K. and Gupta, B.N., The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
Raj, S., see Löwgren, W., 39 (1992) 183
Rajaguru, A.S.B., see Samarasinghe, K., 36 (1992) 143
Rajashekher, A.R., Rao, P.V., Reddy, V.R. and Eshwaraiah, Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151
Rankins Jr., D.L., see Rude, B.J., 44 (1993) 101
Rao, P.V., see Rajashekher, A.R., 44 (1993) 151
Rathbone, S., see Stockdale, C.R., 40 (1992) 1
Rathee, C.S., see Dharmender, 44 (1993) 169
Ravi, R., see Natanam, R., 27 (1989) 95
Rearte, D.H., see Elizalde, J.C., 38 (1992) 161
Reddy, S.M., see Surekha, M., 31 (1990) 167
Reddy, V.R., see Rajashekher, A.R., 44 (1993) 151
Reed, J.D., Soller, H. and Woodward, A., Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Reed, J.D., see Soller, H., 33 (1991) 297
Reeves III, J.B., see Balde, A.T., 44 (1993) 29
Remillard, R.L., Johnson, D.E., Lewis, L.D. and Nockels, C.F., Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
Rémond, B., Souday, E. and Jouany, J.P., In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121
Renard, C.M.G.C., Voragen, A.G.J., Thibault, J.F. and Pilnik, W., Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69
Retrum, R., see Latshaw, J.D., 47 (1994) 179
Revington, W.H. and Moran Jr., E.T., Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321
Ribaillier, D., see Quinsac, A., 48 (1994) 265
Richards, D.E., Brown, W.F., Ruegsegger, G. and Bates, D.B., Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
Richards, D.E., Brown, W.F., Ruegsegger, G. and Bates, D.B., Replacement value of tree legumes for concentrates in forage-based di-

ets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
Richardson, C.R., see Deetz, L.E., 31 (1990) 293
Richet, E., see Geay, Y., 36 (1992) 255
Ridzwan, B.H., Fadzli, M.K., Rozali, M.B.O., Chin, D.T.F., Ibrahim, B.M. and Faridnordin, B.I., Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267
Rigault, M., see Giger-Reverdin, S., 32 (1991) 223
Rigsby, L.L., see Ohlde, G.W., 36 (1992) 173
Rigsby, L.L., see Akin, D.E., 43 (1993) 303
Rihani, N., see Guessous, F., 35 (1991) 95
Rihawi, S., see Capper, B.S., 26 (1989) 105
Rihawi, S., see Erskine, W., 28 (1990) 61
Rihawi, S., see Thomson, E.F., 44 (1993) 191
Rioperez, J., see Tortuero, F., 48 (1994) 1
Risley, C.R., Kornegay, E.T., Lindemann, M.D. and Weakland, S.M., Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259
Ritchie, W.L., see Kratzer, F.H., 46 (1994) 67
Rivkin, I., see Shqueir, A.A., 27 (1989) 127
Robblee, A.R., see Fengler, A.I., 28 (1990) 243
Robertson, B.M., see Ahn, J.H., 27 (1989) 147
Robertson, S., see Chamberlain, D.G., 37 (1992) 257
Robinson, P.H., see Tamminga, S., 27 (1989) 49
Robinson, P.H. and McNiven, M.A., Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275
Robinson, P.H., see McNiven, M.A., 47 (1994) 31
Rode, L.M., see McAllister, T.A., 30 (1990) 91
Rodehutscord, M., see Düngelhoef, M., 49 (1994) 1
Rodriguez, M.L., see Tortuero, F., 48 (1994) 1
Roger, V., Bernalier, A., Grenet, E., Fonty, G., Jamot, J. and Gouet, P., Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
Rogers, J.A., see Deetz, L.E., 31 (1990) 293
Rohr, K., see Carro, M.D., 37 (1992) 209
Rokbani, N., see Ben Salem, H., 48 (1994) 15
Rollin, P., see Quinsac, A., 48 (1994) 265
Romulo, B., see Bird, S.H., 45 (1994) 119
Rose, S.P., see Howlider, M.A.R., 39 (1992) 71
Rose, S.P., Anderson, D.M. and White, M.B., The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163
Rossi. F., see Masoero, F., 48 (1994) 253
Rossnagel, B.G., see Campbell, G.L., 26 (1989) 221
Rossnagel, B.G., see Campbell, G.L., 41 (1993) 191
Roth-Maier, D.A., Machmüller, A., Kreuzer, M. and Kirchgessner, M., Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
Roth-Maier, D.A., see Kirchgessner, M., 46 (1994) 293
Rowan, A.M., Moughan, P.J. and Wilson, M.N., The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129
Rowan, T.G., Lawrence, T.L.J. and Kershaw, S.J., Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Rowan, T.G., see Subuh, A.M.H., 49 (1994) 297
Rowlinson, P., see Hemsley, C.L., 26 (1989) 139
Rowlinson, P., see Hemsley, C.L., 26 (1989) 153
Roxas, D.B., see Bainton, S.J., 34 (1991) 261
Rozali, M.B.O., see Ridzwan, B.H., 40 (1993) 267
Rubinstein, A., see Solomon, R., 37 (1992) 185
Rubio, L., see Treviño, J., 30 (1990) 313
Rubio, L.A., Grant, G., Rahman, H., Dewey, P. and Pusztai, A., Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93
Rude, B.J. and Rankins Jr., D.L., Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
Ruegsegger, G., see Richards, D.E., 46 (1994) 37
Ruegsegger, G., see Richards, D.E., 46 (1994) 53
Rumsey, G.L., Kinsella, J.E., Shetty, K.J. and Hughes, S.G., Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
Rumsey, G.L., Hughes, S.G., Smith, R.R., Kinsella, J.E. and Shetty, K.J., Digestibility and

energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
Rumsey, G.L., Hughes, S.G. and Winfree, R.A., Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135
Russel, J.R., Yoder, S.J. and Marley, S.J., The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131
Russel, J.R., Irlbeck, N.A., Hallauer, A.R. and Buxton, D.R., Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
Russel, J.R., see Irlbeck, N.A., 41 (1993) 51
Rutagwenda, T., Lechner-Doll, M., Schwartz, H.J., Schultka, W. and Von Engelhardt, W., Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179
Ryadi, A., see Benabdeljelil, K., 30 (1990) 301

S

Sahle, M., Coleou, J. and Haas, C., Nutritional value of cassava meal in diets for geese, 36 (1992) 29
Sahnoune, S., Besle, J.M., Chenost, M., Jouany, J.P. and Combes, D., Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
Said, A.N., see Getachew, G., 46 (1994) 97
Saini, H.S., see Batterham, E.S., 26 (1989) 191
Saini, H.S., see Batterham, E.S., 27 (1990) 317
Saitoh, M., see Kajikawa, H., 31 (1990) 91
Saitoh, M., see Kajikawa, H., 34 (1991) 203
Sajdook, J., see Burianová, T., 33 (1991) 41
Salas, M., Aumont, G., Biessy, G. and Magnie, E., Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265
Salek, M., see Heger, J., 29 (1990) 89
Salih, M.E., Classen, H.L. and Campbell, G.L., Response of chickens fed on hull-less barley to dietary β-glucanase at different ages, 33 (1991) 139
Salinas, J., see Caro, M.R., 31 (1990) 285
Samanta, A.K., Chopra, R.C., Atreja, P.P. and Chhabra, A., An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157
Samarasinghe, K. and Rajaguru, A.S.B., Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. esculenta) as an energy source for broilers, 36 (1992) 143
Saminadin, G., see Hassoun, P., 29 (1990) 113
Sampath, S.R., see Subba Rao, A., 49 (1994) 37
Samuels, W.A., Fontenot, J.P., Allen, V.G. and Flick, G.J., Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305
Sanderson, M.A. and Wedin, W.F., In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
Sankari, S., see Hassan, S., 41 (1993) 103
Santini, F.J., see Elizalde, J.C., 38 (1992) 161
Santini, F.J., see Elizalde, J.C., 47 (1994) 201
Sarwatt, S.V., Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
Sato, T., see Goto, M., 48 (1994) 27
Sauer, W.C., see Cherian, G., 27 (1989) 137
Sauer, W.C., Mosenthin, R. and Pierce, A.B., The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269
Sauer, W.C., see Mosenthin, R., 37 (1992) 245
Sauvant, D., see Giger-Reverdin, S., 32 (1991) 223
Sauvant, D., see Giger-Reverdin, S., 48 (1994) 73
Savage, T.F., see Kill, D.R., 40 (1992) 87
Savage, T.F., see Hayat, J., 43 (1993) 291
Savoie, L., see Caugant, I., 41 (1993) 223
Savoini, G., see Van der Koelen, C.J., 38 (1992) 35
Sazzad, H.M., Bertechini, A.G. and Nobre, P.T.C., Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271
Scaife, J.R., see Sinclair, L.A., 34 (1991) 181
Schaefer, D.M., see McAllister, T.A., 30 (1990) 91
Scheijen, M.A., see Morrison III, W.H., 32 (1991) 17
Schein, G., see Flachowsky, G., 34 (1991) 279
Schein, G., see Flachowsky, G., 39 (1992) 173
Scheuermann, S.E., Effect of the probiotic

Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181
Schiere, J.B., Ibrahim, M.N.M., Sewalt, V.J.H. and Zemmelink, G., Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Schiere, J.B., see Navaratne, H.V.R.G., 29 (1990) 209
Schiere, J.B. and De Wit, J., Feeding standards and feeding systems, 43 (1993) 121
Schiere, J.B. and Nell, A.J., Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135
Schiere, J.B., see Subba Rao, A., 49 (1994) 37
Schmitz, M., see Inborr, J., 44 (1993) 113
Schneider, A., see Flachowsky, G., 43 (1993) 41
Schneider, M. and Flachowsky, G., Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
Schneider, M., see Flachowsky, G., 38 (1992) 199
Schöne, F., Winnefeld, K., Kirchner, E., Grün, M., Lüdke, H. and Hennig, A., Copper and iodine in pig diets with high glocusinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
Schöne, F., Kirchheim, U. and Schumann, W., Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229
Schubert, R. and Flachowsky, G., Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
Schuldt, A., see Südekum, K.-H., 46 (1994) 307
Schultka, W., see Rutagwenda, T., 31 (1990) 179
Schumann, W., see Schöne, F., 48 (1994) 229
Schuurmans, J.L.L., see Mulder, M.M., 39 (1992) 335
Schwartz, H.J., see Rutagwenda, T., 31 (1990) 179
Scott, K.C. and Latshaw, J.D., The vitamin D_3 and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99
Sebek, L.B.J., see Smits, B., 45 (1994) 349
Segura, M., see Gidenne, T., 32 (1991) 215
Sehgal, J.P. and Makkar, G.S., Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149
Sehgal, J.P. and Makkar, G.S., Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61
Seib, P.A., see Zhu, X.S., 27 (1990) 341
Seligman, N.G., see Genizi, A., 29 (1990) 265
Sell, J.L., see Zatari, I.M., 30 (1990) 121
Seoane, J.R., see Martineau, Y., 47 (1994) 53
Sequeira, C.A. and Sequeira, J.C., Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65
Sequeira, J.C., see Sequeira, C.A., 41 (1993) 65
Sewalt, V.J.H., see Schiere, J.B., 26 (1989) 179
Shahjahan, M., Mosihuzzaman, M. and Mian, A.J., In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
Shain, D.H., see Judkins, M.B., 33 (1991) 323
Shaw, J., Baidoo, S.K. and Aherne, F.X., Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
Shaw, J., Baidoo, S.K. and Aherne, F.X., Nutritive value of canola seed for young pigs, 28 (1990) 325
Shefet, G., see Maltz, E., 35 (1991) 15
Shelford, J.A., see Makoni, N.F., 41 (1993) 1
Shelford, J.A., see Puchala, R., 48 (1994) 121
Shelley, B.C., see King, R.H., 37 (1992) 1
Shepperson, N., see Wiseman, J., 36 (1992) 41
Shetty, K.J., see Rumsey, G.L., 33 (1991) 177
Shetty, K.J., see Rumsey, G.L., 33 (1991) 185
Shi, X.S. and Noblet, J., Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
Shimada, A., see Leal, M., 47 (1994) 141
Shimojo, M., see Zhao, J.Y., 41 (1993) 261
Shqueir, A.A., Brown, D.L., Taylor, S.J., Rivkin, I. and Klasing, K.C., Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
Sibbald, I.R., Hall, D.D., Wolynetz, M.S., Fernández, J.A. and Jørgensen, H., Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
Sijtsma, L. and Tan, B., Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Silanikove, N., Brosh, A., Holzer, Z. and Levy, D., Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117
Silanikove, N., see Maltz, E., 35 (1991) 15
Simpson, M.V., see Phillip, L.E., 33 (1991) 29
Sinclair, L.A., Galbraith, H. and Scaife, J.R., Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181
Sindt, M.H., Stock, R.A. and Klopfenstein, T.J., Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
Singh, B., see Negi, S.S., 26 (1989) 309
Singh, B., see Makkar, H.P.S., 32 (1991) 253
Singh, B., see Makkar, H.P.S., 36 (1992) 113
Singh, B., see Makkar, H.P.S., 41 (1993) 247
Singh, U.B. and Mehra, U.R., Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
Singh, U.B., see Tiwari, S.P., 29 (1990) 333
Siroka, P., see Zeleňák, I., 49 (1994) 211
Skilton, G.A., Smith, W.C. and Moughan, P.J., The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
Smith, A.J., see Langlands, J.P., 28 (1990) 1
Smith, A.J., see Langlands, J.P., 28 (1990) 15
Smith, A.J., see Donald, G.E., 40 (1993) 295
Smith, A.J., see Langlands, J.P., 46 (1994) 109
Smith, R.H., see Merry, R.J., 31 (1990) 55
Smith, R.L., see Neutze, S.A., 40 (1993) 251
Smith, R.R., see Rumsey, G.L., 33 (1991) 185
Smith, T., see Manyuchi, B., 49 (1994) 11
Smith, W.A., Du Plessis, G.S. and Griessel, A., Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
Smith, W.C., see Moughan, P.J., 34 (1991) 95
Smith, W.C., see Skilton, G.A., 34 (1991) 111
Smith, W.C., see Donkoh, A., 49 (1994) 43
Smith, W.C., see Donkoh, A., 49 (1994) 57
Smith, W.C., see Donkoh, A., 49 (1994) 73
Smith, W.J., Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57
Smits, B., Jongbloed, A.W. and Sebek, L.B.J., Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing–finishing pigs, 45 (1994) 349
Smits, B., see Liu, Y.-G., 48 (1994) 273
Sniffen, C.J., see Assoumani, M.B., 39 (1992) 357
Snyman, L.D., Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
Snyman, L.D. and Joubert, H.W., Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
Snyman, L.D., Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275
Sobamiwa, O. and Longe, O.G., The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321
Sobamiwa, O. and Longe, O.G., Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237
Soller, H., see Reed, J.D., 30 (1990) 39
Soller, H., Reed, J.D. and Butterworth, M.H., Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297
Solomon, R., Miron, J., Rubinstein, A. and Ben-Ghedalia, D., Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185
Solomon, R., see Ben-Ghedalia, D., 42 (1993) 283
Sorensen, E.L., see Lenssen, A.W., 39 (1992) 61
Sørensen, H., see Danielsen, V., 46 (1994) 239
Sosulski, F.W., see Thacker, P.A., 46 (1994) 229
Souday, E., see Rémond, B., 41 (1993) 121
Spais, A.V., see Christaki, E.V., 48 (1994) 169
Spiekers, H., see Düngelhoef, M., 49 (1994) 1
St. Pierre, N.R., see Weiss, W.P., 39 (1992) 95
Stanogias, G., Pearce, G.R., Alifakiotis, T., Michaelidis, J. and Pappa-Michaelidis, B., Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
Stefanon, B., see Susmel, P., 26 (1989) 231
Stefanon, B., Mills, C.R. and Piasentier, E., Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143
Stefanon, B., see Susmel, P., 42 (1993) 1
Stefanon, B., see Susmel, P., 49 (1994) 119
Steg, A., see Liu, Y.-G., 41 (1993) 133
Steg, A., see Liu, Y.-G., 45 (1994) 397
Steg, A., see Liu, Y.-G., 48 (1994) 273
Steg, A., Hindle, V.A. and Liu, Y.-G., By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87
Stern, M.D., see Bas, F.J., 29 (1990) 101

Stern, M.D., see Calsamiglia, S., 39 (1992) 239
Stern, M.D., see Illg, D.J., 48 (1994) 49
Stevani, J., Durand, M., Zanchi, R., Beaumatin, Ph. and Hannequart, G., Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
Stewart, C.S., see Hidayat, 42 (1993) 193
Stewart, C.S., see Cruz Soto, R., 49 (1994) 151
Sticker, L.S., see Bunting, L.D., 45 (1994) 229
Stilborn, H.L. and Waldroup, P.W., An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
Stock, R., see Goedeken, F., 26 (1989) 129
Stock, R.A., see Mader, T.L., 42 (1993) 109
Stock, R.A., see Mader, T.L., 42 (1993) 309
Stock, R.A., see Sindt, M.H., 49 (1994) 103
Stockdale, C.R. and Rathbone, S., Comparisons of methods for estimating in vivo digestibility of feedstuffs in dairy cattle, 40 (1992) 1
Streeter, M.N., Wagner, D.G., Hibberd, C.A., Mitchell Jr., E.D. and Oltjen, J.W., Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279
Streeter, M.N., Hill, G.M., Wagner, D.G., Hibberd, C.A. and Owens, F.N., Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
Stritzler, N.P., Wolstrup, J., Eggum, B.O. and Jensen, B.B., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Stuteville, D.L., see Lenssen, A.W., 39 (1992) 61
Stuth, J.W., see Lyons, R.K., 35 (1991) 21
Subba Rao, A., Prabhu, U.H., Sampath, S.R. and Schiere, J.B., The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37
Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297
Südekum, K.-H., Puls, J., Brandt, M. and Vearasilp, T., Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143
Südekum, K.-H., Brandt, M., Schuldt, A. and Puls, J., Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307
Sun, W., see Galloway Sr., D.L., 32 (1991) 261
Sun, W., Goetsch, A.L., Forster Jr., L.A., Galloway Sr., D.L. and Johnson, Z.B., Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Sun, W., see Forster Jr., L.A., 47 (1994) 259
Sundås, S., see Jonsson, A., 31 (1990) 139
Sundstøl, F., see Mgheni, D.M., 44 (1993) 209
Sundstøl, F., see Getachew, G., 46 (1994) 97
Sundstøl, F., see Mgheni, D.M., 49 (1994) 223
Surekha, M. and Reddy, S.M., Succession of mycoflora on groundnut fodder, 31 (1990) 167
Surtan, M.S., see Ayangbile, O.A., 40 (1993) 153
Susmel, P., Stefanon, B. and Piasentier, E., Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Susmel, P., Mills, C.R., Colitti, M. and Stefanon, B., In vitro solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1
Susmel, P., Antongiovanni, M., Stefanon, B., Mills, C.R., Hindle, V.A. and Van Vurren, A.M., Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
Sutton, J.D., see McAllan, A.B., 46 (1994) 277
Sweet, A., see Buttery, P.J., 45 (1993) 97
Swingle, R.S., see Glenn, E.P., 40 (1992) 21
Szymczyk, B., see Hanczakowski, P., 38 (1992) 81

T

Tahon, F., see Leterme, P., 35 (1991) 49
Takabe, K., see Goto, M., 36 (1992) 229
Takabe, K., see Goto, M., 40 (1993) 207
Takahashi, J. and Young, B.A., Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

Takahashi, J. and Young, B.A., The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347
Takahashi, T., see Kajikawa, H., 31 (1990) 91
Tallam, S.K., see Ayangbile, O.A., 40 (1993) 153
Tamminga, S., Robinson, P.H., Meijs, S. and Boer, H., Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49
Tamminga, S., see Kaitho, R.J., 43 (1993) 19
Tamminga, S., see Liu, Y.-G., 48 (1994) 273
Tan, B., see Sijtsma, L., 44 (1993) 221
Tangendjaja, B., Rahardjo, Y.C. and Lowry, J.B., Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63
Tankou, C.M., see Teguia, A., 40 (1993) 233
Tano, R., see Kajikawa, H., 31 (1990) 91
Taoueb, H., see Kayouli, C., 40 (1993) 343
Tashev, T.K., see Todorov, N.A., 45 (1994) 299
Taylor, S.J., see Shqueir, A.A., 27 (1989) 127
Tchoumboue, J., see Teguia, A., 40 (1993) 233
Teguia, A., Tchoumboue, J., Mayaka, B.T. and Tankou, C.M., The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
Teller, E., see Chermiti, A., 47 (1994) 41
Tesfa, A.T., Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
Tesfa, A.T., Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
Thacker, P.A., see Campbell, G.L., 26 (1989) 221
Thacker, P.A., see Cherian, G., 27 (1989) 137
Thacker, P.A. and Sosulski, F.W., Use of wild oat groats in starter diets for swine, 46 (1994) 229
Thacker, P.A., Campbell, G.L. and Xu, Y., Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251
Thaler, R.C., see Weeden, T.L., 45 (1994) 211
Tham, S.H., see Karunajeewa, H., 26 (1989) 45
Theander, O., Chemical analysis of lignocellulose materials, 32 (1991) 35
Theodorou, M.K., Williams, B.A., Dhanoa, M.S., McAllan, A.B. and France, J., A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185
Théwis, A., see Leterme, P., 29 (1990) 45
Théwis, A., see Leterme, P., 35 (1991) 49
Théwis, A., see Leterme, P., 37 (1992) 309
Théwis, A., see Walhain, P., 38 (1992) 43
Théwis, A., see Leterme, P., 39 (1992) 209
Théwis, A., see Mathot, P., 39 (1992) 227
Thibault, J.F., see Renard, C.M.G.C., 32 (1991) 69
Thivend, P., see Geay, Y., 36 (1992) 255
Thomas, P.C., see Newbold, C.J., 35 (1991) 191
Thomlinson, J.R., see Potkins, Z.V., 35 (1991) 171
Thomson, A.M., see Flint, H.J., 32 (1991) 123
Thomson, E.F., see Capper, B.S., 26 (1989) 105
Thomson, E.F., Herbert, F. and Rihawi, S., Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
Thorne, P.J., Wiseman, J., Cole, D.J.A. and Machin, D.H., Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31
Thwaites, C.J., The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
Tingda, J., Dihua, M., Yiwan, C. and Chunping, Z., Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175
Tiroke, K., see Flachowsky, G., 34 (1991) 279
Tiwari, S.P., Singh, U.B. and Mehra, U.R., Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333
Tjandraatmadja, M., MacRae, I.C. and Norton, B.W., Intake and digestibility of sorghum silage by goats, 41 (1993) 171
Todorov, N.A., Tashev, T.K., Yancheva, N.J. and Alexandrov, A.N., Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
Todorov, N.A., see Djouvinov, D.S., 48 (1994) 289
Tomes, G., see Eggum, B.O., 43 (1993) 109
Tortuero, F., Rioperez, J., Cosíin, C., Barrera, J. and Rodriguez, M.L., Effects of dietary fiber sources on volatile fatty acid production, in-

testinal microflora and mineral balance in rabbits, 48 (1994) 1
Toullec, R., see Caugant, I., 41 (1993) 223
Toullec, R., Lallès, J.P. and Bouchez, P., Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101
Toussaint, B., Excoffier, G. and Vignon, M.R., Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
Treviño, J., Centeno, C., Brenes, A., Yuste, P. and Rubio, L., Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
Treviño, J., Ortiz, L. and Centeno, C., Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
Treviño, J., see Ortiz, L.T., 41 (1993) 271
Triantos, A., see Belibasakis, N.G., 33 (1991) 151
Tripathi, J.P. and Yadav, J.S., Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
Tsen, H.Y., see Yu, B., 40 (1993) 309
Tserveni-Gousi, A.L., see Christaki, E.V., 48 (1994) 169
Tserveni-Gousi, A.S., see Yannakopoulos, A.L., 27 (1989) 77
Tserveni-Gousi, A.S., see Yannakopoulos, A.L., 36 (1992) 53
Tucker, R.E., see Mahmoudzadeh, H., 27 (1989) 111
Tuen, A.A., Dahan, M.M., Young, B.A. and Vijchulata, P., Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
Tung, R.S., see Kung Jr., L., 35 (1991) 37
Tung, R.S., see Kung Jr., L., 39 (1992) 1

U

Ubosi, C.O., see Olawuni, K.A., 38 (1992) 1
Uchida, S., see Nishino, N., 47 (1994) 297
Uchida, S., see Nishino, N., 48 (1994) 131
Udedibie, A.B.I., Esonu, B.O., Obaji, C.N. and Durunna, C.S., Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
Udén, P., see Mero, R.N., 31 (1990) 1
Udén, P., see Mbwile, R.P., 32 (1991) 243
Udén, P., The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
Udén, P., Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135
Ueberschär, K.H., see Wang, P.-X., 31 (1990) 157
Umunna, N.N., see Iwuanyanwu, I.E.J., 31 (1990) 277
Uray, G., see Andrighetto, I., 39 (1992) 323
Ushida, K. and Jouany, J.P., Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153

V

Vadiveloo, J. and Fadel, J.G., Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265
Vaithiyanathan, S., see Kumar, R., 30 (1990) 21
Vaithiyanathan, S. and Kumar, R., Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281
Valentinotti, M., see Malossini, F., 50 (1994) 113
Van Den Abeele, Th., see Van Der Poel, A.F.B., 26 (1989) 29
Van der Koelen, C.J., Goedhart, P.W., Van Vuuren, A.M. and Savoini, G., Sources of variation of the in situ nylon bag technique, 38 (1992) 35
Van der Koelen, C.J., see Antoniewicz, A.M., 39 (1992) 111
Van der Meer, J.M., see Garrido, A., 35 (1991) 199
Van der Merwe, H.J., see Cilliers, J.W., 43 (1993) 151
Van der Poel, A.F.B., Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
Van der Poel, A.F.B., Den Hartog, L.A., Van Stiphout, W.A.A., Bremmers, R. and Huisman, J., Effects of extrusion of maize on ileal

and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309
Van der Poel, A.F.B., Gravendeel, S. and Boer, H., Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
Van der Poel, A.F.B., Gravendeel, S., Van Kleef, D.J., Jansman, A.J.M. and Kemp, B., Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
Van der Poel, A.F.B., see Jansman, A.J.M., 42 (1993) 83
Van der Poel, A.F.B., see Hendriks, W.H., 48 (1994) 99
Van Der Poel, A.F.B., Den Hartog, L.A., Van Den Abeele, Th., Boer, H. and Van Zuilichem, D.J., Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29
Van Gelder, W.M.J., see Meijer, M.M.T., 46 (1994) 1
Van Hoecke, A., see Focant, M., 28 (1990) 303
Van Hoecke, A., see Focant, M., 30 (1990) 69
Van Houtert, M.F.J., The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189
Van Kleef, D.J., see Van der Poel, A.F.B., 36 (1992) 205
Van Lunen, T.A., see Donovan, B.C., 43 (1993) 77
Van Nevel, C.J., see Broudiscou, L., 30 (1990) 51
Van Nevel, C.J. and Demeyer, D.I., Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
Van Nevel, C.J. and Demeyer, D.I., Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
Van Nevel, C.J., see De Smet, S., 37 (1992) 333
Van Ravenswaay, R.O., Henry, P.R., Ammerman, C.B. and Littell, R.C., Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13
Van Soest, P.J. and Mason, V.C., The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45
Van Stiphout, W.A.A., see Van der Poel, A.F.B., 29 (1990) 309
Van Vurren, A.M., see Susmel, P., 49 (1994) 119
Van Vuuren, A.M., see Van der Koelen, C.J., 38 (1992) 35
Van Vuuren, A.M., see Antoniewicz, A.M., 39 (1992) 111
Van Zuilichem, D.J., see Van Der Poel, A.F.B., 26 (1989) 29
Vanacker, J.M., see De Boever, J.L., 47 (1994) 1
Vanbelle, M., see Focant, M., 28 (1990) 303
Vanbelle, M., see Focant, M., 30 (1990) 69
Vanbelle, M., see Focant, M., 32 (1991) 229
Vanbelle, M., see Chermiti, A., 47 (1994) 41
Vancoillie, Y., see Fiems, L.O., 26 (1989) 347
Vandersall, J.H., see Balde, A.T., 44 (1993) 29
Vanhatalo, A., see Aronen, I., 32 (1991) 201
Vanopdenbosch, E., see Fiems, L.O., 26 (1989) 347
Varga, G.A. and Whitsel, T.J., Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275
Varvikko, T., see Aronen, I., 32 (1991) 201
Varvikko, T., see Khalili, H., 36 (1992) 275
Varvikko, T. and Khalili, H., Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
Varvikko, T., see Khalili, H., 41 (1993) 39
Vearasilp, T., see Südekum, K.-H., 38 (1992) 143
Vedeau, F., see Assoumani, M.B., 39 (1992) 357
Vedhanayagam, K., see Arumugam, M.P., 26 (1989) 119
Veereswara Rao, B., Parthasarathy, M. and Krishna, N., Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
Velásquez, L.A., see Ibáñez, I.A., 42 (1993) 165
Ventura, M.R., Castañon, J.I.R. and McNab, J.M., Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87
Vérité, R., see Aufrère, J., 33 (1991) 97
Vermorel, M., see Giger-Reverdin, S., 48 (1994) 73
Verstegen, M.W.A., see Jansman, A.J.M., 43 (1993) 239
Vervaeke, I.J., Graham, H., Dierick, N.A., Demeyer, D.I. and Decuypere, J.A., Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
Veselý, D., see Bláha, J., 28 (1990) 315
Vignon, M.R., see Toussaint, B., 32 (1991) 235

Vijchulata, P., see Tuen, A.A., 32 (1991) 333
Villamide, M.-J., see Wiseman, J., 39 (1992) 27
Villamide, M.-J., see De Blas, C., 39 (1992) 39
Villamide, M.J., see De Blas, C., 31 (1990) 239
Virk, A.S., see Yadav, B.S., 50 (1994) 123
Viswanathan, K., see Natanam, R., 27 (1989) 89
Viveros, A., Brenes, A., Pizarro, M. and Castaño, M., Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
Vohra, P., see Kratzer, F.H., 31 (1990) 247
Vohra, P., see Kratzer, F.H., 46 (1994) 67
Volenec, J.J., see Cherney, D.J.R., 37 (1992) 9
Von Engelhardt, W., see Rutagwenda, T., 31 (1990) 179
Von Keyserlingk, M., see Puchala, R., 48 (1994) 121
Von Keyserlingk, M.A.G., see Makoni, N.F., 41 (1993) 1
Voragen, A.G.J., see Renard, C.M.G.C., 32 (1991) 69
Vukić Vranješ, M., Pfirter, H.P. and Wenk, C., Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261

W

Waanders, A., see Oosting, S.J., 43 (1993) 31
Wadhwa, M., Makkar, G.S. and Ichhponani, J.S., Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
Wagner, D.G., see Streeter, M.N., 29 (1990) 279
Wagner, D.G., see Streeter, M.N., 44 (1993) 45
Wakita, M., see Cann, I.K.O., 35 (1991) 55
Wakita, N., see Kobayashi, Y., 36 (1992) 67
Wakita, M., see Kobayashi, Y., 40 (1993) 177
Waldroup, P.W., see Stilborn, H.L., 27 (1990) 327
Wales, W.J., Doyle, P.T. and Pearce, G.R., The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
Walhain, P., Foucart, M. and Théwis, A., Influence of extrusion on ruminal and intestin disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
Walhain, P., see Mathot, P., 39 (1992) 227
Walker, A.G., see D'Mello, J.P.F., 33 (1991) 117
Walker, N., A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets ad libitum (Short Communication), 30 (1990) 169
Walker, N., The effects on performance and behaviour of number of growing pigs per monoplace feeder, 35 (1991) 3
Walker, W.R., see Myer, R.O., 31 (1990) 43
Wallace, G., Chesson, A., Lomax, J.A. and Jarvis, M.C., Lignin–carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193
Wallace, R.J. and Falconer, M.L., In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129
Wallace, R.J., see Cruz Soto, R., 49 (1994) 151
Walli, T.K., see Rai, S.N., 26 (1989) 81
Wang, P.-X. and Ueberschär, K.H., The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157
Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219
Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
Waters, C.J. and Givens, D.I., Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
Waters, C.J., Kitcherside, M.A. and Webster, A.J.F., Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279

Weakland, S.M., see Risley, C.R., 35 (1991) 259
Webster, A.J.F., see Waters, C.J., 39 (1992) 279
Webster, A.J.F., see Chaudhry, A.S., 42 (1993) 209
Webster, P.M., Hoover, W.H. and Miller, T.K., Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11
Weddell, J.R., see Jakhmola, R.C., 28 (1990) 39
Weddell, J.R., see Jakhmola, R.C., 41 (1993) 87
Wedin, W.F., see Sanderson, M.A., 30 (1990) 1
Weeden, T.L., Nelssen, J.L., Thaler, R.C., Fitzner, G.E. and Goodband, R.D., Effect of dietary protein and supplemental soya-bean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211
Weinberg, Z.G., Ashbell, G., Hen, Y. and Harduf, Z., Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313
Weinberg, Z.G., see Meeske, R., 43 (1993) 165
Weingertner, K., see Fashina-Bombata, H.A., 47 (1994) 171
Weiss, W.P., Conrad, H.R. and St. Pierre, N.R., A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
Weiss, W.P., see Messman, M.A., 49 (1994) 25
Wenk, C., see Vukić Vranješ, M., 46 (1994) 261
Werner, D., see Arieli, A., 26 (1989) 299
Wetscherek, W., see Zollitsch, W., 41 (1993) 237
Wetscherek, W., see Knaus, W., 48 (1994) 111
White, J.S., Bolsen, K.K., Posler, G. and Neill, J.W., Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
White, M.B., see Rose, S.P., 49 (1994) 163
Whitehead, C.C., Vitamin supplementation of cereal diets for poultry, 45 (1993) 81
Whitsel, T.J., see Varga, G.A., 32 (1991) 275
Willcock, G.P., see King, R.H., 37 (1992) 1
Williams, B.A., see Theodorou, M.K., 48 (1994) 185
Wilson, B.N., see Donkoh, A., 35 (1991) 161
Wilson, M.N., see Rowan, A.M., 36 (1992) 129
Wilson, R.K., see Moloney, A.P., 46 (1994) 215
Winfree, R.A., see Rumsey, G.L., 40 (1993) 135
Winnefeld, K., see Schöne, F., 30 (1990) 143
Wiseman, J., Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
Wiseman, J., Edmunds, B.K. and Shepperson, N., The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41
Wiseman, J., see Agunbiade, J.A., 36 (1992) 303
Wiseman, J., Villamide, M.-J., De Blas, C., Carabaño, M.- J. and Carabaño, R.M., Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27
Wiseman, J., see De Blas, C., 39 (1992) 39
Wiseman, J., see Thorne, P.J., 40 (1992) 31
Wiseman, J. and Blanch, A., The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
Wittenberg, K.M., Moshtaghi-Nia, S.A., Mills, P.A. and Platford, R.G., Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
Wittenberg, K.M. and Moshtaghi-Nia, S.A., Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
Wittenberg, K.M. and Moshtaghi-Nia, S.A., Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67
Woldetsadick, F., Dixon, R.M., Yuen, H.P. and Holmes, J.H.G., Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325
Wolstrup, J., see Stritzler, N.P., 38 (1992) 263
Wolynetz, M.S., see Sibbald, I.R., 30 (1990) 131
Woodward, A., see Reed, J.D., 30 (1990) 39

X

Xian, J. and Farrell, D.J., The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127
Xiccato, G., Cinetto, M., Carazzolo, A. and Cossu, M.E., The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311
Xu, Y., see Thacker, P.A., 46 (1994) 251

Y

Yadav, B.S. and Virk, A.S., The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123
Yadav, J.S., see Tripathi, J.P., 37 (1992) 59
Yamazaki, M., see Akiba, Y., 43 (1993) 259
Yancheva, N.J., see Todorov, N.A., 45 (1994) 299
Yannakopoulos, A.L. and Tserveni-Gousi, A.S., The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77
Yannakopoulos, A.L., Tserveni-Gousi, A.S. and Christaki, E.V., Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53
Yin, Y.-L., Hunan, R., Zhong, H., Chen, C.-M. and Dai, H., Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271
Yin, Y.-L., Huang, R.-L. and Zhong, H.-Y., Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297
Yin, Y.-L., Huang, R.-L., Zhang, H.-Y., Chen, C.-M., Li, T.-J. and Pan, Y.-F., Nutritive value of feedstuffs and diets for pigs: I. Chemical composition, apparent ileal and faecal digestibilities, 44 (1993) 1
Yin, Y.-L., Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and interrelationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243
Yin, Y.L., Chen, C.-M., Zhong, H.-Y., Huang, R.-L. and Chen, X.-S., Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
Yiwan, C., see Tingda, J., 37 (1992) 175
Yoder, S.J., see Russel, J.R., 29 (1990) 131
Yokoe, Y., see Goto, M., 40 (1993) 207
Yokoyama, M.T., see Miron, J., 27 (1990) 269
Yokoyama, M.T., see Miron, J., 30 (1990) 107
Yosef, E., see Ben-Ghedalia, D., 41 (1993) 113
Yosef, E., Ben-Ghedalia, D., Miron, J., Huttermann, A., Majcherczyk, A., Milstein, O., Ludemann, H.D. and Frund, R., Characterization of some cell-wall components of untreated and SO_2-treated wheat straw, 46 (1994) 331
Yosef, E., see Ben-Ghedalia, D., 47 (1994) 89
Yosef, E. and Ben-Ghedalia, D., Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27
Young, B.A. and Nicol, A.M., Influence of temperature and physical form of turnips on the metabolic cost of ingestion (Short Communication), 29 (1990) 147
Young, B.A., see Tuen, A.A., 32 (1991) 333
Young, B.A., see Takahashi, J., 35 (1991) 105
Young, B.A., see Takahashi, J., 39 (1992) 347
Young, B.A., see Liang, J.B., 47 (1994) 189
Yu, B. and Tsen, H.Y., An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
Yuen, H.P., see Woldetsadick, F., 49 (1994) 325
Yulzari, A., see Genizi, A., 29 (1990) 265
Yuste, P., see Treviño, J., 30 (1990) 313
Yutste, P., Longstaff, M.A., McNab, J.M. and McCorquodale, C., The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Z

Zadražil, F., Galletti, G.C., Piccaglia, R., Chiavari, G. and Francioso, O., Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
Zaman, M.S., Owen, E. and Pike, D.J., The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
Zamime, B., see Givens, D.I., 36 (1992) 1
Zamora, E., see Caro, M.R., 31 (1990) 285
Zanchi, R., see Stevani, J., 36 (1992) 287
Zatari, I.M. and Sell, J.L., Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
Zavarce, O., see Combellas, J., 42 (1993) 319
Zeleňák, I., Jalč, D., Kmet, V. and Siroka, P., Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211
Zemmelink, G., see Schiere, J.B., 26 (1989) 179
Zhang, H.-Y., see Yin, Y.-L., 44 (1993) 1

Zhang, Y., see Bunting, L.D., 45 (1994) 229
Zhao, J.Y., Shimojo, M. and Goto, I., The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261
Zhong, H., see Yin, Y.-L., 35 (1991) 271
Zhong, H.-Y., see Yin, Y.-L., 42 (1993) 297
Zhong, H.-Y., see Yin, Y.L., 45 (1994) 283
Zhou, M.-Q., see Liu, Y.-G., 45 (1994) 257
Zhu, X.S., Seib, P.A., Allee, G.L. and Lian, Y.T., Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341
Zhu, X.S. and Deyoe, C.W., Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229
Zimmerman, D.R., see Honeyman, M.S., 35 (1991) 131
Zinn, R.A., see DePeters, E.J., 39 (1992) 125
Žitňan, R., see Jalč, D., 46 (1994) 131
Zollitsch, W., Wetscherek, W. and Lettner, F., Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
Zuprizal, Larbier, M., Chagneau, A.M. and Lessire, M., Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Zuprizal, Larbier, M., Chagneau, A.M. and Lessire, M., Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
Zuprizal, see Barrier-Guillot, B., 41 (1993) 149
Żuromska, M., see Czarnecka, M., 34 (1991) 343

ELSEVIER

Animal Feed Science and Technology 50 (1994) 229–331

ANIMAL FEED SCIENCE AND TECHNOLOGY

Subject index

Animal Feed Science and Technology, volumes 26–50, 1989–1994

A

Abierixin
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29

Acid treatment
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233

Acremonium coenophialum
Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227

Agronomic factors
Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265
Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191

Aleurone
Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185

Alfalfa
Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9
Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61
Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1
Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29
Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299

Alfalfa hay
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Alfalfa hay meal
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Alfalfa juice
The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305

Alfalfa meal
An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Alfalfa protein
Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

Alfalfa silage
Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Alfalfa stems
In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1

Alkali treatment
Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121
A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

***n*-Alkane**
Variability of *n*-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113

Alkaline hydrogen peroxide treatment
Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101

Allantoin
Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

Almond hulls
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Amaranth
Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221

Ambadi meal
Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151

Amino acids, general
Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155
Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29
Amino acid supplementation of cereal-based diets for non-ruminants, 45 (1993) 1
Recent progress towards matching feed quality to the amino acid needs of ruminants, 45 (1993) 19
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151
The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Ammonia
Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31

Ammonia treatment
Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Ammonium salts
The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Anaerobic pasteurizing conditioning system
Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Antibiotics
Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Effect of a new ionophore antibiotic, abierixin,

on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57

Antinutritional factors (*see also* Toxicology)
Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous antinutritional constituents (Short Communication), 46 (1994) 343
Nutritional and antrinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125
The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpolypyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Apple
Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69

Apple pomace
Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Aqueous treatment
Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265
Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273

Armillaria heimii
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

Ascorbic acid
See Vitamin C

Aspergillus niger
Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

***Aspergillus oryzae* culture extract**
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Autoclave treatment
Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237

B

Babala
Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275

Bacteria
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
Effect of additives on the quality of big-bale silage, 31 (1990) 139
Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77
The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Bacterial leaf spot
Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61

Bacterial preparations
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Bacterial protein synthesis
Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Barley
Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1

Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59

Response of chickens fed on hull-less barley to dietary β-glucanase at different ages, 33 (1991) 139

Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199

Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1

Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93

Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109

Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321

Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191

The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73

Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129

Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169

Effects of adding barley hulls and linseed meal to wheat and hulless barley diets fed to growing pigs, 45 (1994) 177

The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363

Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179

Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31

Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237

Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Barley grain

Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33

Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25

Barley straw

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39

The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73

Feed intake and milk yield using an ensiled mix-

ture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15
The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Bauhinia leaf meal
The nutritive value of bauhinia leaf meal for broiler starter chicks, 37 (1992) 317

Bean
Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Nutritional and antrinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125

Beet
Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Beet pulp
Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307

Behaviour
The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303
Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41

Bentonite clay
Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13

Bermudagrass
Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Biodegradation
See Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1–251

Birdsfoot trefoil
Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Blood meal
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Bone meal
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Bran
Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Brewer's dried grains
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29

Brewer's dried yeast
Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185

Bromegrass
Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63
Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Buffalo
Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149
Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61

Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

By-products — general

Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61

The nutritive value and chemical composition of energy-rich by-products for ruminants, 49 (1994) 261

By-products — animal waste

Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175

Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75

Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135

Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305

Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153

Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85

Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251

Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229

By-products — crambe

Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133

By-products — crop residues

Grape juice concentrate as feed for beef cattle, 26 (1989) 139

Grape juice concentrate as a feed for growing pigs, 26 (1989) 153

Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285

Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37

Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283

Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265

The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39

Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397

By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87

By-products — date pulp

Effects of dietary date pulp on digestion in the rat, 32 (1991) 229

By-products — distillery waste

Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57

By-products — ghee residue
Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

C

Cadmium
The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1

Calcimycin
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183

Calcium
Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Calcium formate
Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65

Calcium hydroxide treatment
Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271

Calcium salts
Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293

Calliandra calothyrsus
Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19

***Calliandra* spp.**
Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Calorimetry
Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299

Camel
Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179
Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293
Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303
Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Cane
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Canola
The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289

Canola meal
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Canola oil
Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Canola seed
Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
Nutritive value of canola seed for young pigs, 28 (1990) 325

Carbohydrates
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293
Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275
Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Casein
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263

Cassava
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Cassava meal
Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Cassava peel meal
Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295

Cationomycin
Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1

Cattle — general
Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159
Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59
Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21
Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143
Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
Relationships between chemical components of

veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169
The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211

Cattle — beef

Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129
Grape juice concentrate as feed for beef cattle, 26 (1989) 139
High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing–finishing cattle, 28 (1990) 267
Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
Rumen fermentation and nutrient digestion in

cattle fed diets varying in forage and energy source, 39 (1992) 1
Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53
Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Cattle — calf

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223
Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245
The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321
Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111
Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Cattle — dairy

Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49

Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59

The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303

Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69

The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289

Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91

Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231

Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275

Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151

Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203

Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291

Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian × Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275

Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193

The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257

Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57

Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143

Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125

Comparisons of methods for estimating in vivo digestibility of feedstuffs in dairy cattle, 40 (1992) 1

Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41

Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239

The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25

Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275

Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299

Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397

Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119

Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277

Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307

Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41

The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287

Variability of *n*-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113

Cattle — draught
Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297

Cattle — growing
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Cell wall
Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
See also Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1–251
The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
Characterization of some cell-wall components of untreated and SO_2-treated wheat straw, 46 (1994) 331
Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27

Cellobiose
Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107

Cellulase
Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Cellulolysis
Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Cellulose
Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77

Cereals, general
The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93
Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169
Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297
Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
Study of variability in French cereals, 43 (1993) 87
Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307

Chaya leaf meal
Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155

Chewing activity
Chewing activity of ruminants as a measure of physical structure — a review of factors affecting it (Review), 27 (1990) 281

Chick excreta
Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

Chicken — general
Leucaena leucocephala in poultry nutrition — a review (Review), 26 (1989) 1
Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127
The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73
Vitamin supplementation of cereal diets for poultry, 45 (1993) 81

Chicken — broiler
Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95
Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289
Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129
Response of chickens fed on hull-less barley to dietary β-glucanase at different ages, 33 (1991) 139
Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21
Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37
Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141
Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41
Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. esculenta) as an energy source for broilers, 36 (1992) 143
The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339
The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
The response of growing male and female broiler chickens kept at different temperatures to

dietary energy concentration and feed form, 39 (1992) 71
Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191
Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85
Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93
Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261
The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321
The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151
The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237
Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

Chicken — chick

Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119
The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341
Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155
Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
The nutritive value of bauhinia leaf meal for broiler starter chicks, 37 (1992) 317
Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177
Relative bioavailability of copper in a copper–lysine complex for chicks and lambs, 45 (1994) 193
Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205
The nutritive value of barley, rye, wheat and

corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251
Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87

Chicken — cockerel
Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
Bioavailability of lysine in rapeseed and soyabean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

Chicken — growing
Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337

Chicken — laying hen
Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45
The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295
Gliricidia leaf meal as an ingredient in layer diets, 29 (1990) 303
Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301
Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53
Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano–Sahelian environment, 38 (1992) 1
Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89
Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13
Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151
Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271
Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Chicken — rooster
Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179

Chitin
Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101

Cholesterol
Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127

Chromic oxide
Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Cimaterol
Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181
Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215

Citrullus colocynthis
Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Citrus pulp
Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Clover
Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Cocksfoot
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25

Cocoa husk meal
The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321

Cocoa pod
Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267
Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237

Coconut/palm kernel oil
The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225

Collagen
Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175

Colocasia corn meal
Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. esculenta) as an energy source for broilers, 36 (1992) 143

Colostrum
Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Compound feeds, general
Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73

Concanavalin A
Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297

Convicine
The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157

Copper
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
Copper and iodine in pig diets with high glocusinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Relative bioavailability of copper in a copper–lysine complex for chicks and lambs, 45 (1994) 193

Copra meal
Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31

Coprinus fimetarius
The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81

Cotton seed meal
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Cotton stalk
Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185
Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Cottonseed
Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203

Cottonseed cake
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Cottonseed meal
The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77
Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing–finishing pigs, 30 (1990) 193
Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89

Cowpea husk
Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309

Crambe
Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397

Crambe meal
Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133
Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273

Crotalaria ochroleuca
Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

Crustacean processing waste
Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229

Cysteine
Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

D

Date pulp
Effects of dietary date pulp on digestion in the rat, 32 (1991) 229

DDIC
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

Deaminase inhibitors
Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323

Defaunation
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153
Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

Deoxyribonucleic acid
The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129

Desert grass
Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75

Detoxification
Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117

Diaminopimelic acid
The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129
In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49

2,6-Diaminopimelic acid
Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11

Digesta retention
Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117

Digestibility — alfalfa
Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273

Digestibility — amino acids and proteins
Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143
The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Digestibility — apple pomace
Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Digestibility — barley
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique,

32 (1991) 201
Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237

Digestibility — by-products
Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Digestibility — carbohydrates
The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

Digestibility — cell wall, general
Lignin–carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193
Diet influence on biological degradation in sacco of cell walls by ruminants, 32 (1991) 223
Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219

Digestibility — cocoa-pod
Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267

Digestibility — coefficients
Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71

Digestibility — dry matter
Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) nonlactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329
Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Digestibility — energy
Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27
Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39
Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151

Digestibility — estimation
Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265
An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Digestibility — faba bean
Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205
Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83

Digestibility — fats
Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Digestibility — fibre
Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153
In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215
The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

Digestibility — finger millet
The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Digestibility — forages, general
Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
Changes in chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87

Digestibility — glucosinolate
Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

Digestibility — grass
Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299
Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215
The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155

Digestibility — green panic
Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117

Digestibility — hay
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131
Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
Chemical composition and in vitro digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125
Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227

Digestibility — lucerne
Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Digestibility — maize
Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29
Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143
A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309
The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97

Digestibility — masticate
Digestion of ruminal masticate dried by three different methods, 37 (1992) 323

Digestibility — nitrogen
In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279
In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
In vitro solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1
The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209
Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Digestibility — oak leaves
Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247

Digestibility — organic matter
Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243
Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing–finishing pigs, 45 (1994) 349
The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Digestibility — pea
Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15

Digestibility — prediction
Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209

Digestibility — proteins
Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297

Digestibility — proteins and amino acids
Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabo-

lites in the digestive tract of growing pigs, 37 (1992) 245
Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335

Digestibility — rapeseed
Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237

Digestibility — sorghum
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
Intake and digestibility of sorghum silage by goats, 41 (1993) 171
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Digestibility — soya bean
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237

Digestibility — spring herbage
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173

Digestibility — starch
Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111
Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279
Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345

Digestibility — straw
Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17
Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103
The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
The effect of sodium hydroxide treatment on

the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
Effect of ammonia treatm[illegible] an[illegible] supplementation of barl[illegible] straw[illegible] uid characteristics and [illegible]ubstrat[illegible] by sheep, 50 (1994) 137

Digestibility — sugar can[illegible]

Studies on the ammon[illegible]ation [illegible] bagasse by urea. Effe[illegible]ts of [illegible] levels, urease source an[illegible] treatin[illegible] composition, in vitro [illegible]ry matte[illegible] and evolution of ureoly[illegible]ic bacte[illegible] 113

Digestibility — sugars, ge[illegible]eral

Digestibility by rumen mic[illegible]o[illegible]gan[illegible] sugars in perennial for[illegible]ge ster[illegible] 32 (1991) 119

Digestibility — tree leaves

Rumen degradation and [illegible]n vivo [illegible] dried *Calliandra calothy[illegible]* lea[illegible] 19

Digestibility — tropical fe[illegible]stuffs

Nutritive value of some [illegible]ropical [illegible] pigs. Chemical compos[illegible]ion, di[illegible] metabolizable energy co[illegible]ent, 2[illegible]

Digestibility — wheat

Ruminal and intestinal de[illegible]adatio[illegible] constituents of barley, l[illegible]arley fi[illegible] mill run measured by th[illegible]e nylon [illegible] 32 (1991) 201
The digestion and energy [illegible]alue [illegible] wheat treated with urea [illegible]43 (199[illegible]
Intake and digestibility [illegible]f strea[illegible] crop wheat and live[illegible]eight [illegible] heifers, 46 (1993) 119

Digestibility markers

Feed components as intern[illegible] marke[illegible] studies with dairy cows, 27 (198[illegible]

Dilute-acid hydrolysis

The potential of dilute-aci[illegible] hydrol[illegible] ment for improving t[illegible]e nutri[illegible] of industrial lignocellu[illegible]sic by[illegible] (1993) 39
Effects of dilute-acid hydro[illegible]ss tre[illegible] physico-chemical featur[illegible] and [illegible] of wheat straw, 42 (1993) [illegible]5

[illegible]raw in the tropics.
[illegible]nical principles and

[illegible]nt (Ecosyl™) and/or
(vancomycin) on fer-
[illegible]tability of wilted al-

[illegible]gradability with dry
[illegible]ured at mean rumen
[illegible] forages and forage:
[illegible] 1) 287

[illegible]ed meal on the per-
[illegible]ese quail, 27 (1989)

[illegible]gamia glabra* Vent)
[illegible]e of White Leghorn

[illegible]t and defatted Aus-
[illegible] production of hens
[illegible] bran, 27 (1990) 259
[illegible]cid supplementation
[illegible]rown-egg layers and

[illegible]ductive performance
[illegible] a controlled feeding

[illegible] on egg production
[illegible]tic chickens during
[illegible]uction in a Sudano–
(1992) 1
[illegible]osition and mineral
[illegible] of commercial layers
[illegible]nganese in diets, 46

[illegible]entation of barley-
[illegible]formance and egg

[illegible]omato meal on the
[illegible]uality of laying hen,

[illegible] on egg production
[illegible]ic chickens during
[illegible] ction in a Sudano–
[illegible]1992) 1
[illegible]l meal with a solu-
[illegible]a laying hen perfor-

the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Digestibility — sugar cane
Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113

Digestibility — sugars, general
Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Digestibility — tree leaves
Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19

Digestibility — tropical feedstuffs, general
Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Digestibility — wheat
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119

Digestibility markers
Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49

Dilute-acid hydrolysis
The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55

Dioxane
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213

Distillery waste
Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229
The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Donkey
Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179

Dromedary
Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237

Dry matter degradation
Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45

Dyschondroplasia
Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

E

Earthworm meal
Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165

Economics
Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135

Ecosyl™
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Effective degradability
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

Egg production
The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77
The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301
Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano–Sahelian environment, 38 (1992) 1
Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271
Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Egg quality
Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53
Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano–Sahelian environment, 38 (1992) 1
Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen perfor-

mance and discolourations in eggs, 38 (1992) 89
Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Electrophoresis
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Emulsification
Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9

Energy digestibility
Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27
Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39

Energy metabolism
The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181

Energy utilization
Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297

Energy value
Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185
The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. esculenta) as an energy source for broilers, 36 (1992) 143

The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215
Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201
Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
The response of growing male and female broiler chickens kept at different temperatures to dietary energy concentration and feed form, 39 (1992) 71
Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151
Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183
Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109
Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1
The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73

Enzyme preparations

Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41
Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261
Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

Enzyme treatment

Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations,

31 (1990) 261
Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69
Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185
Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113

Enzymes, general
Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
Feed enzymes, 45 (1993) 65

Eragrostis curvula
Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213

Extrusion
The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269
Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99

F

Faba bean
Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157
Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199
Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205
Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Faba bean flour
The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11

Faecal index determination
Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Fat deposition
Manipulation of lean deposition in animals, 45 (1993) 97

Fats
Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9

The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

Fatty acids
Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177
Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189
Digestion and utilisation of fatty acids by ruminants, 45 (1994) 379
Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251
The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Feather meal
Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179

Feed blocks
Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229

Feed preference
Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179

Feed restriction
Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano–Sahelian environment, 38 (1992) 1

Feeding rate
The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317

Feeding standards
Feeding standards and feeding systems, 43 (1993) 121

Feeding systems
A comparison of various feeding systems for finishing pigs, 26 (1989) 251
A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261
Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets ad libitum (Short Communication), 30 (1990) 169
Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29
The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
Feeding standards and feeding systems, 43 (1993) 121

Fermentation kinetics
The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185

Ferrous sulphate
Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89

Fertilizers
Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73

Fibre
Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153
In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13
Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63
Nutritional aspects of dietary fibres, 32 (1991) 143
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215
Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
In vitro ruminal fiber digestion as influenced by phenolic–carbohydrate complexes released from sorghum cell walls, 39 (1992) 79
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65
Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151
Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249
Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41
Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos tau-*

rus × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Finger millet
The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Fish
Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Fish meal
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
The vitamin D_3 and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Fish silage
Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167
The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Flame roasting
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31

Fodder
Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Fodder radish
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Formaldehyde treatment
Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Formic acid treatment
Effect of additives on the quality of big-bale silage, 31 (1990) 139
Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107
The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Fungi
Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55
Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
The effect of moulds on the nutritional value of wheat, 28 (1990) 315
Succession of mycoflora on groundnut fodder, 31 (1990) 167
Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205
Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77
Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

G

α-Galactosides
Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177
Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73

Gammanase
An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Gas production
Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109

Gelatinization
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321

Genetics
Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331

Gentian violet
Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Germination
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

Ghee residue
Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

Gliricidia leaf meal
Gliricidia leaf meal as an ingredient in layer diets, 29 (1990) 303

Gliricidia sepium
Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Glucan
Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33

β-Glucanase
Response of chickens fed on hull-less barley to dietary β-glucanase at different ages, 33 (1991) 139

Glucosinolate
Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229
Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265
Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Glutathione peroxidase
Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103

Glycanase
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

Glycerol
In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121

Goat
The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93
The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15
Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123
Salicornia bigelovii Torr.: a seawater-irrigated forage for goats, 40 (1992) 21
Intake and digestibility of sorghum silage by goats, 41 (1993) 171
The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Goose
Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Grain amaranth
Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221

Grain legumes
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Grain processing
The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105

Grape juice concentrate
Grape juice concentrate as feed for beef cattle, 26 (1989) 139
Grape juice concentrate as a feed for growing pigs, 26 (1989) 153

Grape pulp meal
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Grass — general
Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299
Forage quality of five cool-season grasses. I. Cultivar effects, 27 (1990) 197
Forage quality of five cool-season grasses. II. Species effects, 27 (1990) 209
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155

Grass — dried
The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215

Grass silage
Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247

Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17
Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Grazing behaviour
Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259

Green panic
Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117

Groundnut fodder
Succession of mycoflora on groundnut fodder, 31 (1990) 167

Groundnut meal
Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171

Growth performance — cattle
Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245
Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259

Growth performance — chicken
The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95
The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229

Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
Bioavailability of lysine in rapeseed and soyabean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Growth performance — fish
Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Growth performance — goat
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37

Growth performance — Japanese quail
Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169

Growth performance — pig
The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259
Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1
Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31
Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171

Growth performance — rabbit
Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267
Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237

Growth performance — sheep
Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181

Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229
The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97

Growth performance — turkey
Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321
Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Guar gum
Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

H

Hamster
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Hay
Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131
Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
Chemical composition and in vitro digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125
Urea for preservation of moist hay, 31 (1990) 193
Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175
Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

High performance liquid chromatography

Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Horse urine treatment

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199

Hydrogen peroxide treatment

Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121

In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Hydrogen sulphate treatment

Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47

Hypothermia

The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

I

Ileal digestibility

Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and interrelationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243

Immunoglobulins

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

Insects

Comparative aspects of plant cell wall digestion in insects, 32 (1991) 101

Intake

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17

Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39

Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231

Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241

Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57

Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199

Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293

Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303

Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Intake and digestibility of sorghum silage by goats, 41 (1993) 171
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Intestinal microflora

See Rumen microbiology

Iodine

Copper and iodine in pig diets with high glocusinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143

Iron

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Irradiation

Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

J

Jack bean
Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197

Jackbean meal
Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335

Jackbean seeds
Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297

Japanese quail
The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77
Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169

Johnsongrass
Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Juice
The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81

K

Karanja
The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95

Kikuyu
Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77

Kinggrass
Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

L

Lactation performance
The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93
The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289
Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151
Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15

Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian × Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287

Lactic acid
Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107

Lactobacilli
Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165

Lasalocid
Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1

Leaf degradation
Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205

Leaf protein concentrate
Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117

Leather scrap
Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175

Legume seed meal
The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101

Legumes, general
Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317
Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous anti-nutritional constituents (Short Communication), 46 (1994) 343
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Lentil straw
Variation in lentil straw quality, 28 (1990) 61

Leucaena leaf meal
Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63
An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Leucaena leaves
Leucaena leucocephala in poultry nutrition — a review (Review), 26 (1989) 1
Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Lickblocks
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333

Lignin
Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63
Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159
Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2-treated wheat straw, 47 (1994) 89
Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Lignin–carbohydrate complexes
Lignin–carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193

Ligninase
Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15

Lignocellulose
Chemical analysis of lignocellulose materials, 32 (1991) 35
Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

Lime
The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Linola™
Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Linseed
Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181

Linseed cake
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Linseed meal
Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1
Effects of adding barley hulls and linseed meal to wheat and hulless barley diets fed to growing pigs, 45 (1994) 177

Linseed oil
Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189

Listeria monocytogenes
Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285

Llama
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Lucerne
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Lucerne meal
Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

Lucerne silage
Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Lupin
Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275
Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23

Lupin meal
Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177

Lupin seed
Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87
Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109

Lupin seed meal
Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Lupin silage
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Lysine
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, ly-

sine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
Relative bioavailability of copper in a copper–lysine complex for chicks and lambs, 45 (1994) 193
A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99

M

Magnesium

Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13

Magnetic treatment

The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11

Maillard reaction

The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45

Maize

Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Effects of extrusion of maize on ileal and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309
Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41
Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Maize gluten feed

An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131

Maize gluten meal

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Maize grain

Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287

Maize silage

Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129
High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311

Maize stalk
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Treatment with different chemicals and their effects on the digestibility of maize stalks, 38 (1992) 351
Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309

Maize stem
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69

Maize stover
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11

Maize straw
Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Manganese
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271

Manure
The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Marigold
Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

Markers — intestinal tract
Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143
The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211

Masticate
Digestion of ruminal masticate dried by three different methods, 37 (1992) 323

Mastication
Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41

Meat
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Meat and bone meal
The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111

Meat quality
Manipulation of lean deposition in animals, 45 (1993) 97

Mediterranean browse
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133

Methane
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245

Methionine sulphoxide
Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Microbial inoculation
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259

Microbial protein synthesis
Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313

Microbial treatment
Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223

Milk
Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59

Milk substitutes
Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245
Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111
Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Millet
In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Mimosine
Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63
An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Minerals, general
Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
Egg production, tissue deposition and mineral metabolism in two strains of commercial layers

with various levels of manganese in diets, 46 (1994) 271
Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Modelling
Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95

Molasse
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Monensin
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309

Monosaccharides
Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307

Mountain forage
Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323

Mouse
Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1

Mycotoxins
Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Myrosinase
Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

N

Napier grass
Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265

Near-infrared reflectance spectroscopy
Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293
A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281
The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Neutral detergent fibre
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Niacin
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Nitrate
The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

Nitrate poisoning
Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

Nitrogen
Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247

The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111

Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343

Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67

Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255

Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263

Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335

Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279

In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57

Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177

In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191

In vitro solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1

Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177

The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209

The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31

Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65

Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73

Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119

Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77

The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335

Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15

In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49

The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57

The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153

The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253
The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173
The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Nitrogen solubilisation
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Nutritive value — ambadi
Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151

Nutritive value — barley
Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Nutritive value — bauhinia
The nutritive value of bauhinia leaf meal for broiler starter chicks, 37 (1992) 317

Nutritive value — beans
Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179

Nutritive value — beet
Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Nutritive value — canola seed
Nutritive value of canola seed for young pigs, 28 (1990) 325

Nutritive value — cassava meal
Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Nutritive value — clover
Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Nutritive value — cocoa
The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321

Nutritive value — enzyme supplements
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1

Nutritive value — faba bean
Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Nutritive value — fats
Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Nutritive value — feather meal
Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179

Nutritive value — fibre
The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45

Nutritive value — fish silage
Chemical and nutritional quality of dried fermented fish silages and their nutritive value

for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Nutritive value — ghee residue
Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

Nutritive value — jack bean
Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335

Nutritive value — lupin
Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275

Nutritive value — maize
Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149

Nutritive value — manure
The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Nutritive value — medic
Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Nutritive value — molasse
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Nutritive value — mountain forage
Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323

Nutritive value — plant juice
The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81

Nutritive value — proteins and amino acids
Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117

Nutritive value — rapeseed
Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

Nutritive value — raspberry pomace
Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139

Nutritive value — rice
The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219
The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
Variation in the nutritional value of rice straw, 34 (1991) 261
The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323

Nutritive value — rubber seed
Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313

Nutritive value — rye
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89

Nutritive value — ryegrass
Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207

Nutritive value — seaweed
Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87

Nutritive value — sorghum
Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93

Nutritive value — soya bean
The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Nutritive value — spring grown herbage
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185

Nutritive value — sugar cane
Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265

Nutritive value — tagasaste
The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275

Nutritive value — triticale
The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163
Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49

Nutritive value — tropical feedstuffs, general
Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Nutritive value — wheat
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
The effect of moulds on the nutritional value of wheat, 28 (1990) 315
Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199

O

Oak leaves
Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113
Effect of storage and urea addition on detannification and in sacco dry matter digestibility of

mature oak (*Quercus incana)* leaves, 41 (1993) 247

Oat
Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

Oat groats
Use of wild oat groats in starter diets for swine, 46 (1994) 229

Oat straw
The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73

Oatmeal by-product
Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Oil seeds
By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87

Oligosaccharides
Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313

Olive pulp meal
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Optical density measurement
Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Orange peel
Chemical changes during the ensiling of orange peel, 43 (1993) 269

Orchardgrass
Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119
Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29

Organic acids
Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259

Organic matter, general
Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103

Osmolarity
Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65

Ozone treatment
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269

Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185

P

Paciflor®
Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181

Palatability
Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Palm kernel meal
Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37

Palm oil
Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177

Palm oil refinery product
Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13

Palm press fibre
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Parasitism
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Particle sedimentation
Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135

Particle size
Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215
The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Passage estimation
Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59

Passage rate
Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151
Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Pasture plants
Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255

Pea
Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309
Influence of extrusion on ruminal and intestin disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15
Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205
Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99

Peanut meal
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Pectin
Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69
Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177

Pellet quality
Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15

Pelleting
Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269

Pentosan
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

Peptides
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151

Phenolic–carbohydrate complexes
In vitro ruminal fiber digestion as influenced by phenolic–carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

Phenolic compounds
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpolypyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133

Phenolic monomers
Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111

Phenylalanine
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Phosphorus
Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341
Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63
Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19
The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Phytase
Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1

Phytate
Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341

Phytate-phosphorus
Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19

Phytin phosphorus
The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

Pig — general
The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing–finishing pigs, 30 (1990) 193
A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49
Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271
The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129
Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
Nutritive value of feedstuffs and diets for pigs: I. Chemical composition, apparent ileal and faecal digestibilities, 44 (1993) 1
Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57
Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and interrelationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243
The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

Pig — finishing

A comparison of various feeding systems for finishing pigs, 26 (1989) 251

A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261

A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29

Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing–finishing pigs, 45 (1994) 349

Pig — growing

Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

Grape juice concentrate as a feed for growing pigs, 26 (1989) 153

The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191

Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271

Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137

The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229

The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317

Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Copper and iodine in pig diets with high glocusinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143

A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets ad libitum (Short Communication), 30 (1990) 169

Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175

Evaluation of scallop viscera silage as a high-protein feedstuff for growing–finishing swine, 31 (1990) 43

Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55

Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321

Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95

The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181

Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247

Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321

Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303

The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1

Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233

Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245

Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183

Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum

at a constant temperature of 25°C, 40 (1992) 31
In vivo apparent digestibility and in vitro solubilization — the influence of pig live weight and diet, 40 (1993) 223
Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181
Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15
Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297
Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1
Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
Effects of adding barley hulls and linseed meal to wheat and hulless barley diets fed to growing pigs, 45 (1994) 177
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing–finishing pigs, 45 (1994) 349
A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163
Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Pig — sow

Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
Effect of dietary protein and supplemental soyabean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Pig — starter
Use of wild oat groats in starter diets for swine, 46 (1994) 229

Pig — weaner
Nutritive value of canola seed for young pigs, 28 (1990) 325
Effects of extrusion of maize on ileal and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309
The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269
Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259
Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239
The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171

Pigment
Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

Pleurotus ostreatus
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59

Polyethylene glycol
Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

Polysaccharidases
Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185

Polysaccharides
Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Polyvinylpolypyrrolidone
The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpolypyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133

Polyvinylpyrrolidone
Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

Poplar
Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235

Potassium carbonate
Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Potassium permanganate
In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Potassium sorbate
Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Potato
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Potato protein
Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Poultry litter
Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165

Precholecalciferol
The vitamin D_3 and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99

Proanthocyanidin
The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147

Prolactin
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

Propionic acid
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Protein concentrates
The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305

Protein synthesis
Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49
Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289

Protein-precipitating capacity
Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Proteins — general
Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81
A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109

Proteins — buffalo
Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149
Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61

Proteins — cattle
Influence of extrusion on ruminal and intestin disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223

Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29
Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111
Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297
Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Proteins — chicken
Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271

Proteins — degradation
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101
Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129
Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251
Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Proteins — fermentation
Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient low from a continuous culture system, 39 (1992) 239

Proteins — fish
Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Proteins — goat
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261

Proteins — non-ruminants, general

Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317

Proteins — pig

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing–finishing pigs, 30 (1990) 193

Evaluation of scallop viscera silage as a high-protein feedstuff for growing–finishing swine, 31 (1990) 43

A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209

Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181

Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271

Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245

Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181

Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297

Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77

Effect of dietary protein and supplemental soyabean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239

Proteins — rat

Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87

Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165

Proteins — ruminants, general

Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97

Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287

Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1

Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273

Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Proteins — sheep

Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161

Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335

Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Protozoa

Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159

Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203

The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193

Purine

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49

Pyridoxine

Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Pyromellitic diimide

The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145

Q

Quackgrass

Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53

R

Rabbit

Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63

Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27

Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39

Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267

An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309

Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329

Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237

Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Rainbow trout

Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185

Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135

Rapeseed

Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

Rapeseed meal

Copper and iodine in pig diets with high glocusinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
Bioavailability of lysine in rapeseed and soyabean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239
Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Rapeseed oil

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181

Raspberry pomace

Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139

Rat

The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α-galactosides, 32 (1991) 177
Effects of dietary date pulp on digestion in the rat, 32 (1991) 229
Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87
Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221
The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127
Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227
Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165
The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209

Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109
The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Reproductive performance

Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141
Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177

Ribonucleic acids

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Rice bran

The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219
The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259

Rice bran cake

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Rice straw

The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
Variation in the nutritional value of rice straw, 34 (1991) 261
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza*

sativa), 42 (1993) 121
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Rubber seed
Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313

Rubber seed oil
Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177

Rumen degradation
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian × Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265
Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-

lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Rumen fermentation

Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient low from a continuous culture system, 39 (1992) 239
Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211
The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55

Rumen fluid

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Rumen microbiology

Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55
Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159
Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55

The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121
Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189

Rumen pool size

Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275

Rumen retention time

Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227

Ruminal passage rate

Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215

Rye

Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343

Rye straw

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Ryegrass
Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Ryegrass silage
The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257

S

Saccharomyces cerevisiae
Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211

Salinomycin
Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67

Salt
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Saltgrass
Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321

Sarsaponin
Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323

Scallop viscera silage
Evaluation of scallop viscera silage as a high-protein feedstuff for growing–finishing swine, 31 (1990) 43

Seasonal dynamics
Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255
Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321
Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281

Seaweed
Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87

Selenium
Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295

Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109

Sesbania sesban
Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian × Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275

Sheep — general
The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93
Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17
Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145
The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221
Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

Sheep — adult
Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57
Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153
Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51
Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163
Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59
Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino

acids and proteins by rumen microorganisms, 33 (1991) 161
Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105
Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347
Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143
Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155
Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2-treated wheat straw, 47 (1994) 89
Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
The effect of alkali treatment of cereal straws on

digestibility and methane production by sheep, 49 (1994) 245
The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Sheep — lamb
Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181
Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185
Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13
Relative bioavailability of copper in a copper–lysine complex for chicks and lambs, 45 (1994) 193
Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229
The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11

Silage — general
Silage additives, 45 (1993) 35
Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107

Silage — alfalfa
Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297

Silage — animal waste
Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305

Silage — apple pomace
Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Silage — big bale
Effect of additives on the quality of big-bale silage, 31 (1990) 139

Silage — by-products
Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285

Silage — fermentation characteristics
Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47

Silage — fish
Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199

Silage — grass
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213
The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17
Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Silage — grass/legume
Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39

Silage — lucerne
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Silage — maize
Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129
High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143
Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181

Silage — microflora
Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113

Silage — orange peel
Chemical changes during the ensiling of orange peel, 43 (1993) 269

Silage — quality assessment
Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201

Silage — *Solanum laciniatum*
Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing–finishing cattle, 28 (1990) 267

Silage — sorghum
Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
Intake and digestibility of sorghum silage by goats, 41 (1993) 171

Silage — soya bean
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79

Silage — straw
Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Silage — sugar beet
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

Silage — wheat
High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313

Siliceous earth
Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245

Silicornia bigelovii
Salicornia bigelovii Torr.: a seawater-irrigated forage for goats, 40 (1992) 21

Slaughter method
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

Slaughterhouse blood
Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153

Sodium bicarbonate
Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Sodium carbonate
Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151

Sodium hydroxide treatment
See Alkali treatment

Sodium metabisulphite
Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Sodium peroxide treatment
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Sodium selenite
Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103

Solanum laciniatum
Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing–finishing cattle, 28 (1990) 267

Sorbic acid
Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Sorbitol
Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255

Sorghum
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
In vitro ruminal fiber digestion as influenced by phenolic–carbohydrate complexes released from sorghum cell walls, 39 (1992) 79
Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165
In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303
Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275

Sorghum germ meal
Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93

Sorghum gluten feed
Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165

Sorghum gluten meal
Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289
The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339

Sorghum grain
Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279
The effect of barley–sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105

Sorghum silage
Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
Intake and digestibility of sorghum silage by goats, 41 (1993) 171

Sorghum stover
The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15

Sorghum straw
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Soya bean
The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73
Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Soya bean flakes
Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247

Soya bean meal
Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing–finishing pigs, 30 (1990) 193
Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171
Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297
The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55

Soya bean oil
Effect of dietary protein and supplemental soya-bean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211

Soya bean silage
Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79

Soya oil hydrolysate
Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Soya protein concentrate
Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Soya protein preparations
Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135

Spring-grown herbage
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173
The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185

Starch
Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111
Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279
Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
Effect of β-glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
Influence of extrusion on ruminal and intestin disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237
Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249
Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277

Starter diets
Use of wild oat groats in starter diets for swine, 46 (1994) 229

Steam flaking
Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69

Storage
Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Straw — general

Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103

The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39

Botanical fractions of straw of 51 cereal varieties and in sacco degradability of various fractions, 34 (1991) 279

A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83

Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1

Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173

Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313

Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135

Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41

The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245

The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277

The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Straw — barley

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39

The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73

Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231

Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229

In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263

Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293

Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319

Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207

Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15

The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193

Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73

Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191

The calculations method used for optimising conditions of treatment of barley straw with

calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Straw — finger millet
The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Straw — lentil
Variation in lentil straw quality, 28 (1990) 61

Straw — millet
Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75

Straw — oat
The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Straw — rice
The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17
Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
Variation in the nutritional value of rice straw, 34 (1991) 261
Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Straw — sorghum
The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Straw — wheat
Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
The effect of sodium hydroxide treatment on the chemical composition, digestibility and

digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
Characterization of some cell-wall components of untreated and SO_2-treated wheat straw, 46 (1994) 331
Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2-treated wheat straw, 47 (1994) 89
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Straw silage

Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Sucrose

Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275

Sudangrass

In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Sugar beet pulp
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Sugar cane
The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265

Sugar cane bagasse
Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135

Sugar beet pulp
Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91

Sulphur
Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

Sulphur dioxide treatment
Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
Characterization of some cell-wall components of untreated and SO_2-treated wheat straw, 46 (1994) 331
Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2-treated wheat straw, 47 (1994) 89
The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141

Sunflower
Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45
The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41

Sunflower meal
Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Sunflower seed meal
Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129
Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169

Supplement feeding
Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17
Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31

Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1

Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15

Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333

Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275

Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301

Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161

Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247

Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263

Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275

Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323

Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141

Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193

Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241

Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of

growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) nonlactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) nonlactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
See also Special Issue "Feed Additives and Supplements. Papers presented at the Third SAC (Scottish Agricultural College) Spring Conference, Edinburgh, 20 March 1992", Vol. 45 (1993) 1–115
Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37
Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157
Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Sweet potato
The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233

Sweet potato meal
The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165

T

Tagasaste
Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239

Tall fescue
Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227

Tallow
Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Tannin
Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21
The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157
Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199
Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205

Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113
Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247
Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Tapioca
Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125

Techniques — amino acid evaluation
Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Techniques — baling
The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131

Techniques — calibration
Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265
Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Techniques — cannulation
Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271

Techniques — carbohydrate detection
Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293

Techniques — cell wall analysis
New methods for the structural and compositional analysis of cell walls for quality determinations, 32 (1991) 1

Techniques — cellulolysis assay
Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Techniques — dehulling
Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Techniques — digestibility evaluation
Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209
Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97
Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
Comparisons of methods for estimating in vivo digestibility of feedstuffs in dairy cattle, 40 (1992) 1
In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
In vivo apparent digestibility and in vitro solubilization — the influence of pig live weight and diet, 40 (1993) 223
Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251

An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1
Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

Techniques — digestibility prediction
Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243
A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83

Techniques — drying
Digestion of ruminal masticate dried by three different methods, 37 (1992) 323
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
Changes in chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87

Techniques — electron microscopy
Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27

Techniques — energy availability evaluation
Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281
Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183
An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Techniques — ensiling
The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311

Techniques — extrusion cooking
Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197

Techniques — faecal sample analysis
Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21

Techniques — feeding systems
Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3

Techniques — fermentation systems
The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185
The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Techniques — fibre determination
Chemical analysis of lignocellulose materials, 32 (1991) 35

Techniques — gas production
The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpolypyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305

Techniques — histochemistry
In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Techniques — in vitro gas production
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133

Techniques — irradiation
Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

Techniques — lignin extraction
Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Techniques — mobile bag
Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321

Techniques — near-infrared analysis
The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13

Techniques — nitrogen determination
Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253

Techniques — nylon bag
Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
Sources of variation of the in situ nylon bag technique, 38 (1992) 35
Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261
Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpolypyrrolidone or nylon bag, 49 (1994) 133

Techniques — protein measurement
Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11
Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289

Techniques — pyrolysis mass spectrometry
Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Techniques — rumen retention time evaluation
Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139

Techniques — Rusitec
Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209

Techniques — sedimentation measurement
Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135

Techniques — silage assessment
Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201

Thermal treatment
Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303
Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247
The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45
Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101
In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129
Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273
Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Threonine
A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163

Thyroid hormone
Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321

Tilapia
Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Timothy
Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53

Tomato meal
Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53

Total mixed ration
A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15

Toxicology
Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105
Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133
Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165
A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257

Tree forage
Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Tree leaves
The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21
Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Tree lucerne
The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275

Trichoderma reesei
The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363

Trichoderma viride
Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193

Triglycerides
Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259

Triticale
The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen com-

pounds: in vitro experiments, 34 (1991) 343
Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

Triticale grain
Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163
Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287

Triticale straw
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Tropical feedstuffs, general
Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Trypsin
Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Trypsin inhibitors
Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309

Turkey
Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321
The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Turnips
Influence of temperature and physical form of turnips on the metabolic cost of ingestion (Short Communication), 29 (1990) 147

U

Ultraviolet microscopy
Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229

Urea
Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and liveweight change by sheep fed a rice straw, 27 (1989) 17
Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Urea molasse

Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333

Urea treatment

The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117
Urea for preservation of moist hay, 31 (1990) 193
Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana)* leaves, 41 (1993) 247
The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135
Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Urea-ammonia treatment

Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Uricase
Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Urine treatment
Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199

Uromalt-20
Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169

Utilisation
See Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1–251

V

Vancomycin
Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Veld herbage
Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151

Vermiculite
Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301

Vicine
The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157

Viscosity
Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191

Vitamin A
Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

Vitamin C
Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141

Vitamin D
Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21
The vitamin D_3 and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99

Vitamins, general
Vitamin supplementation of cereal diets for poultry, 45 (1993) 81

Volatile fatty acids
The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189

W

Wheat
Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
The effect of moulds on the nutritional value of wheat, 28 (1990) 315
Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313
Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass–wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
Effects of combinations of wheat, corn or hulless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
Effects of adding barley hulls and linseed meal to wheat and hulless barley diets fed to growing pigs, 45 (1994) 177
The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

Wheat aleurone

Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185

Wheat bran

Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153

Wheat gluten feed

A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131

Wheat mill run
Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201

Wheat silage
High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287

Wheat straw
Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
Tentative explanation of the abnormally high feacal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121
The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55
Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
Characterization of some cell-wall components of untreated and SO_2-treated wheat straw, 46 (1994) 331

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Wheat stubble
Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95

Whey
Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223

Wool quality
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

X

Xylanase
Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

Xylose
Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Y

Yak
Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Yeast
Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209
Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123
The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211
The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55

Z

Zinc
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

ELSEVIER Animal Feed Science and Technology 46 (1994) 350–352

Author Index

Abdouli, H., *see* Ben Salem, H., et al.
Aletor, V.A. and Omodara, O.A.
Studies on some leguminous browse plants, with particular reference to their proxim
mineral and some endogenous anti-nutritional constituents .....
Askbrant, S., *see* Malmlöf, K., et al.
Bates, D.B., *see* Richards, D.E., et al.
Bedford, M.R., *see* Inborr, J., et al.
Beever, D.E., *see* McAllan, A.B., et al.
Ben-Ghedalia, D., *see* Yosef, E., et al.
Ben Salem, H., Nefzaoui, A. and Abdouli, H.
Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1.
Methodological approach .....
Bertechini, A.G., *see* Sazzad, H.M., et al.
Björkgren, S., *see* Malmlöf, K., et al.
Bowles, J.E., *see* Langlands, J.P., et al.
Brandt, M., *see* Südekum, K.-H., et al.
Brown, W.F., *see* Richards, D.E., et al.
Campbell, G.L., *see* Thacker, P.A., et al.
Castejon, M. and Leaver, J.D.
Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dair
.....
Chestnutt, D.M.B., *see* Patterson, D.C., et al.
Danielsen, V., Eggum, B.O., Krogh Jensen, S. and Sørensen, H.
Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets .....
Deinum, B. and Maassen, A.
Effects of drying temperature on chemical composition and in vitro digestibility of f
Donald, G.E., *see* Langlands, J.P., et al.
Eggum, B.O., *see* Danielsen, V., et al.
Ekperigin, H.E., *see* Kratzer, F.H., et al.
Frund, R., *see* Yosef, E., et al.
Getachew, G., Said, A.N. and Sundstøl, F.
The effect of forage legume supplementation on digestibility and body weight gain b
fed a basal diet of maize stover .....
Givens, D.I. and Moss, A.R.
Effect of breed, age and bodyweight of sheep on the measurement of apparent digest
dried grass .....
Huttermann, A., *see* Yosef, E., et al.
Inborr, J. and Bedford, M.R.
Stability of feed enzymes to steam pelleting during feed processing .....
Jalč, D., Žitňan, R. and Nerud, F.
Effect of fungus-treated straw on ruminal fermentation in vitro .....